


1NH-00015905 IP26-00006551  
 Smbdy Of SANA RAFAI  
 10-06-2026 0 Y 0 M 0 D 13 H (F)  
 Dr. DILNAAZ FAROOQUI



## DEFICIENCY CHECK LIST OF CASE SHEET

Sl.No.	List of Records	No. of Pages	Legibility	Completeness	Remarks
1	Admission sheet	1			
2	Discharge Summary	1			
3	Nursing Initial assessment	1			
4	Patient Transfer form	1			
5	In-patient Medical record	1			
6	Doctors progress sheets	2			
7	Nursing plan of care and handover sheets	2			
8	Consultation sheet				
9	General consent for treatment	1			
10	Consent for Surgery				
11	Consent for blood transfusion				
12	Consent for chemotherapy				
13	Consent for high risk				
14	Consent for Restraint				
15	LAMA consent				
16	Consent for special procedure / Sedation				
17	Consent for Formula feed	1			
18	Consent for MTP				
19	Consent for Radiological Investigations				
20	Consent for HIV test				
21	Anaesthesia notes (Pre Anaesthesia & post)				
22	Neonatal Admission/Delivery/Physical Exam	1			
23	Medication Reconciliation				
24	Emergency Triage record				
25	Pre operative check list				
26	Surgical safety checklist				
27	Operation Theatre notes				
28	Nurses clinical Presentation				
29	TPR & BP chart	1			
30	Intake and Out take chart (fluid chart)				
31	Drug chart (Regular Prescription)				
32	Investigation Values (result sheet)				
33	Nebulization chart				
34	Nutritional review chart				
35	Intensive care unit (ICU Charts)				
36	Consent for Admission in PICU / NICU				
37	The Humpty dumpty scale				
38	Braden Q Scale				
39	Bed side check list				
40	PICU bed formula Dilution feeds				
41	Gastro monitoring chart				
42	Rch ED doctors note				
43	BP Monitoring chart				
44	RBS monitoring chart				
	<b>Billing extras</b>	1			
	<b>Total No. of Pages</b>	<u>21</u>			



**DISCHARGE SUMMARY**

<b>Name</b>	Baby Of SANA RAFAI	<b>UHID</b>	HNH-00015905
<b>Father/Guardian</b>	Mr HUSSAIN MOHAMMED SAYEED	<b>Age/Gender</b>	0 Y 0 M 0 D 3 H/ Female
<b>Address</b>	22-6-270, Pathargatti, Hyderabad, Telangana, INDIA, 500002		
<b>IP No</b>	IP26-00006551	<b>Admission Date</b>	10-06-2026
<b>Ref Doctor</b>	Self.		
<b>Discharge Date</b>	11.06.2026		

**Consultant:**  
**Dr. DILNAAZ FAROOQUI**  
MBBS DNB  
56763

DIAGNOSIS	ICD CODE
TERM ( 37 weeks + 2 days)/AGA/BABY GIRL	

**History:** Baby Of SANA RAFAI is a term ( 37 weeks + 2 days) baby girl, delivered to a G2P1L1 mother by normal vaginal delivery on 10.06.2026 at 09:59 am with birth weight of 2.50 kgs in Rainbow Children's Hospital, Himayatnagar Hyderabad. Baby cried immediately after birth. Apgar scores were 10/10 at 1 min, 10/10 at 5 min. Inj. Vitamin K 1mg IM was given after delivery. Delayed cord clamping done . Fetal presentation was Vertex.

Name	Baby Of SANA RAFAI	UHID	HNH-00015905
IP No	IP26-00006551	Admission Date	10-06-2026

**Maternal History:** Mrs. SANA RAFAI is a 27 years old G2P1L1 mother. G1 - 2024, FTNVD, Female, B.Wt.: 2.6 kgs, Alive and Healthy. G2 - Present pregnancy Spontaneous conception, had regular Antenatal checkup's, received 2 doses of Injection. Tetanus Toxoid. Antenatal scans were normal. No history of Pregnancy Induced hypertension/ Urinary Tract Infection/ Antepartum Haemorrhage/ Hypothyroidism/ Gestational Diabetes Mellitus/ Oligohydramnios/ Polyhydramnios/ Prolonged Rupture Of Membranes/ Fever.

**Mother's Blood group is B positive. Baby's blood group is B positive.**

**Examination:** Baby was eutermic ( 36.5°F), euvolemic and was maintaining saturations at room air. On auscultation of chest, air entry was bilaterally equal with normal heart sounds. Bilateral femoral pulses well felt. Abdomen was soft with no organomegaly. Cry and activity were good. Anterior fontanelle was at level. No obvious external congenital anomalies were noted clinically. All external orifices were patent and open. All neonatal reflexes were normal.

**Anthropometry:**

Weight at birth : 2.500 kgs.  
 Weight at discharge : 2.360 kgs.  
 Head Circumference : 30 cms.  
 Length : 40 cms.

**Investigations:** Enclosed reports.

**Management:**

**Course during hospital:**

**Feeding:** Breast feeding was initiated (First feed was given within 30 minutes),

<b>Name</b>	Baby Of SANA RAFAI	<b>UHID</b>	HNH-00015905
<b>IP No</b>	IP26-00006551	<b>Admission Date</b>	10-06-2026

measured feeds were started. Baby tolerated the feeds well.

**Vaccination:** Baby was given following vaccination:

<b>Vaccine Name</b>	<b>Status</b>	<b>Date</b>
BCG	Given	10.06.2026
OPV	Given	10.06.2026
HEPATITIS B	Given	10.06.2026

**TEOAE (Transient Evoked Otoacoustic Emissions): Hearing test:** To be done on follow up.

**Newborn screening advanced / Newborn screening-4:** To be done on follow up.

**SPO2 : 98 % at room air**

**Red Reflex: Present & Symmetrical**

**Hip Examination was normal.**

Baby tolerating feeds well, hemodynamically stable, passed urine and meconium, hence being discharged with the following advice.

**Condition at discharge:** Baby is pink, warm, active and on direct breast feeds + measured feeds.

**Advice:**

Keep the baby clean & warm  
Regular breast feeding

Name	Baby Of SANA RAFAI	UHID	HNH-00015905
IP No	IP26-00006551	Admission Date	10-06-2026

Continue direct breast feeds + measured feeds as advised.

Monitor urine output

Immunization as per schedule

Vitamin D3 Drops (1ml/800IU) 0.5ml once daily till further advice (after 5 days of life).

Nasoclear Nasal drops 2 drops in each nostril SOS for nose block.

**Plan:**

1. **Newborn screening advanced / Newborn screening-4/ Thyroid function test to be done on followup.**
2. **Hearing test (TEOAE-Transient Evoked Otoacoustic Emissions) to be done on followup.**
3. **Serum Bilirubin to be done on followup.**

Review consultation with Dr. DILNAAZ FAROOQUI on Friday(12.06.2026) at Himayatnagar with prior appointment **(Review consultation will be charged).**

**Review back to Hospital:** If baby is not feeding continuously for > 6 hours, If breathing fast, Fever or poor activity or lethargy, Bluish discolouration of lips, Increase in jaundice, Abnormal movements occurs.

The content of the patient discharge summary, medication, food & drug interaction, care to be provided at home, nutrition, immunization and safe parenting, when and how to obtain emergency care etc also have been explained by doctor ..... in a language that I can understand and I acknowledge.


Name	Baby Of SANA RAFAI	UHID	HNH-00015905
IP No	IP26-00006551	Admission Date	10-06-2026

Parent/ Attender

In case of emergency contact 9154865030 emergency pediatrician on duty.

To take appointment for OPD consultation at Rainbow **Himayatnagar / Banjara Hills / Rainbow Clinic Madhapur / Kukatpally / Vikrampuri / LB Nagar** dial just one toll free number **18002122**.

You can also take appointments at any time by going **online** to our website **[www.rainbowhospitals.in](http://www.rainbowhospitals.in)**

  
Registrar/Resident/C.M.O



**Dr. DILNAAZ FAROOQUI**  
MBBS DNB  
56763

**ADMISSION SHEET**

**Registration Details :**



Admission No : IP26-00006551      Admit Date : 10-Jun-2026      Admit Time : 10:30 AM      UHID : HNH-00015905

**Patient Details :**


Patient Name : Baby Of SANA RAFAI      Age : 0 D  
Guardian : Mr HUSSAIN MOHAMMED SAYEED      DOB : 10-06-2026 09:59 AM  
Gender : Female      Religion :  
Occupation :      Martial Status :  
Address (H) : 22-6-270 Pathargatti Hyderabad Telangana      Phone No : 9908110915/ 8520813520  
INDIA 500002      E-mail : HUSSAINBALALA9@gmail.com

**Admission Details :**

Bed Type : BASINET      Bed No : CRDL-HNPDA-412-1      Ward Name : 4F -OT  
Room No : CRDL-HNPDA-412-1      Admission Type : First Visit

**Contact Details :**

Name : Mr HUSSAIN MOHAMMED SAYEED      Relationship : Father  
Contact Address : 22-6-270 Pathargatti Hyderabad Telangana      Phone No : 9908110915  
INDIA 500002

  
Signature

**Doctor Details :**

Doctor Name : Dr. DILNAAZ FAROOQUI      Specialisation : GENERAL PEDIATRICS  
Referral Doctor : Self.      Phone No :  
Co-Consultant :

**Payment Details :**

Payment Mode : Cash      Deposit Amount : 10000.00  
Payor Name : SELFPAY

# PATIENT TRANSFER FORM



Patient Name & UHID No. HNH-00015905 IP26-00006551 Baby Of SANA RAFAI 10-08-2026 0 Y 0 M 0 D 1 H (F) Dr. DILNAAZ FAROOQUI 		Date & Time of Admission 10/6/26 @ 10:30 AM	Date & Time of Transfer Order 10/6/26 @
		Transfer Ordered by DR. Anusha	Reason for Transfer observation
From Unit pre-post	To Unit Room	Information to Attendant Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
Number of Sheets in Clinical File 28	Number of Imaging Films -	Personal belongings including clinical documents. If any handed over to attendant Yes <input type="checkbox"/> No <input type="checkbox"/> If yes, what?	
Medications / Consumables / Surgicals / Hand over			
Sl.No.	Item Name	Quantity	
1.			
2.			
3.			
4.			
5.			
Shifting Summary / Notes Written by Doctor : Yes <input type="checkbox"/> No <input type="checkbox"/>			
Name & Signature of Person who is Transferring Srs. Sujatha		Name of Person Ordered Transfer DR. prashanti	
Patient & Clinical Records Received by : kushboo @ 1:30 pm.			
Date & Time of Patient Received : 10/6/26 @ 1:30 pm.			

If the transfer order time & Completion time is more than 30 minutes, please tick the reason mentioned below :

- Unavailable Bed
  Nurse not Available
  Available Bed not ready







# NEONATAL IN-PATIENT MEDICAL RECORD

## ADMISSION INFORMATION

Mother's Name : Sana Rafai Age 27 Father's Name : ..... Age : .....  
 Date of Birth : 13/11/1998 Date of Admission : 9/6/26 UHID No.: .....  
 NICU Consultant : Dr. Dilnaaz Referring Consultant : .....  
 Transferring Unit :  OT  Labour Room  ER  Ward  
 Transported ?  Yes  No - If yes :  Long (> 30 kms)  Short (< 30 kms)

## BIRTH INFORMATION

Name : B/o Sana Rafai Mother's Blood Group : B+  
 Gender :  M  F Blood Group : ..... Birth Weight (gms) : 2500 Length (cms) : .....  
 Date of Birth : 10/6/26 Time of Birth : 9:59AM OFC (cms) : .....  
 Place of Birth : RCH, HMNR Estimated Gesth Age : 37+2

Current Obstetric History : (Booked / Unbooked Case)  
 Maternal Age : 27 Ht : 159 Wt : 256 BMI : ..... Married Life : ..... LMP : 7/9/25 EDD : 29/6/26  
 Conception : Spontaneous or with Rx. : Spontaneous  
 Booked at what GA : 32 weeks AN Steroids Drugs / Doses : ✓ 0  
 Last Scans Details : 6/5/26 Single, Cephalic, AFI - 13.3, FGR Stage-1, Doppler (R) EFW - 1905g. TT Immunization and Iron / Folic Acid : ✓

## MATERNAL RISK FACTORS

Age :  <18 yrs  > 35yrs  
 Consanguinity :  Yes  No  
 If yes, degree of consanguinity :  1  2  3  
 H/o PIH (after 20 weeks) / PE  
 How many Drugs / Doses / Since how long : .....  
 H/o value of recent BP recording, proteinuria, edema, oliguria, any investigations (LFT, platelet count) : .....  
 IUGR - when detected : 31 weeks (EO FGR)  
 Doppler ( Increased Resistance / ADEF / REDF /  
 Redistribution in MCA ) / Ductus Venosus : .....  
 AFI : 13.3 (G15)

H/o GDM/ pre GDM/ on diet or insulin  
 Controlled or not, recent values, HbA1 values : .....  
 Compliance with Rx : .....  
 Scans : LGA, TIFFA , Fetal Echo : .....  
 H/o Hypothyroidism : when diagnosed ? Medication?  
HYPERTHYROIDISM on PROPYLTHIO URACIL 50mg 1-0-1  
 Any other Chronic Medical Problems, when detected drugs ? .....  
 ( Anemia, SLE, Jaundice, CHD, Heart Disease )  
 Infection : H/O, Fever  
 (  Malaria  UTI  TORCH  TB  HIV  HBV )  
 UTI : when : ..... Any culture : .....

PPROM : Duration : .....  Uterine Tenderness  Foul Smelling Liquor  HVS (if taken) - Results : .....  
 Medication during Pregnancy : ..... Duration : .....



**PAST OBSTETRIC HISTORY**

G: 2 P: 1 A: 0 L: 1

Sl. No.	Age	GA wks	B. W	Gender	Significant	Details
I	2.5 yrs	FCH	2.6 kg		h/o iron infusion	
II		PP, spont conception			booked at 9 tw	
					NT Scan (N) NTAS (N) ETA low	

**PERINATAL HISTORY**

Treating Obstetrician : ..... Hospital : .....  Inborn  Outborn

<p><b>Duration of Labour</b></p> <p>First stage (&gt; 18 hours sig) <b>10 L NVD</b></p> <p>Second stage (&gt; 2 hours after dilation)</p> <p>LSCS : <input type="checkbox"/> Elective <input type="checkbox"/> Emergency Indication : .....</p> <p>Specify the reason : .....</p> <p>Augmentation of Labour : <input checked="" type="checkbox"/> Induced <input type="checkbox"/> Assisted Vaginal</p>	<p>CTG : <input type="checkbox"/> Normal <input type="checkbox"/> Suspicious <input type="checkbox"/> Pathological</p> <p>MSL : .....</p> <p>Resuscitaion : <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Cord ABG : .....</p> <p>Placenta : (weight, surface, No. of cotyledons, calcifications, malformations, clots etc : <b>(N)</b>)</p>
---	---

**NEONATAL RESCUSTITION DETAILS**

**APGAR SCORE**

Gestational Age : 37 Weeks : 2 days

SIGN	0	1	2
COLOUR	Blue or Pale	Acrocyanotic	Completely Pink
HEART RATE	Absent	< 100 Minutes	> Minutes
REFLEX IRRITABILITY	No Response	Grimace	Cry or Active Withdrawal
MUSCLE TONE	Limp	Some Flexion	Active Motion
RESPIRATION	Absent	Weak Cry; Hypoventilation	Good, Crying

	1 Minute	5 Minutes	10 Minutes
	2	2	2
	2	2	2
	2	2	2
	2	2	2
<b>TOTAL</b>	10/10	10/10	10/10

Resuscitation			
Minutes	1	5	10
Oxygen			
PPV / NCPAP			
ETT			
Chest Compressions			
Epinephrine			

Comments :  
**Required only initial steps.**

**POSTNATAL / HISTORY OF PRESENT ILLNESS**

Chief Complaints :



Term	AGA	AND	hyperthyroidism in mother on propylthiouracil 50mg 1-0-7
37+2 w	7.5 kg (No 750thp Antibes)	10L	



CIAB



colour, Tone, cry, Activity - Good  
APGAR - Good (10/10)



Initial steps



Shift to mother's side  
Warm Care / PBF & 2H.

Investigation details in previous Hospital :

Feeding History :



*[Faint handwritten notes]*

Family History :

*[Faint handwritten notes]*

Socio Economic History :

*[Faint handwritten notes]*

**GENERAL EXAMINATION ON ADMISSION**

General Disposition :

*[Faint handwritten notes]*

VITALS : Temperature : 36.5 °C HR : 140 bpm RR : 33/min NIBP : ..... CFT : <3sec

Color of the extremities : Pink

Jaundice : No Pallor : No SpO2 : 97% on RA

Anthropometry : Birth Weight : 2500 Length : ..... HC : ..... Present Weight : 2500

Ponderal Index : ..... AGA : 10-50th SGA : ..... LGA : .....  
*Antile Fenton's*



**HEAD TO TOE EXAMINATION**

**HEAD :** Fontanelles : AF at level  
Sutures :  
Shape / Moulding : } (N) shape / NO overriding  
Edema / Bruising : } (N) shape / NO caput  
Size - (H.C.) :

**Facies :** (Any Facial Dysmorphism) No dysmorphism

**NECK and CLAVICLES :** Range of Motion :  
Asymmetry : } wnl  
Masses :

**EYES :** Symmetry :  
Red Reflex : - Not checked  
Discharge :

**EARS, NOSE MOUTH and THROAT :** Ear set / Shape : (N) set ears / (N) shape  
Periauricular Pits / Tags : NO ear tags / pits  
Nasal shape / Patency :  
Palate : } L Nares patent  
Gums : } No cleft lip / cleft palate  
Lips : } (N)  
Tongue : }

**THORAX and BREASTS :** Shape of Thorax : (N)  
Position of Nipples and Number : Equidistant

**ABDOMEN and UMBILICUS :** Shape :  
Organomegaly :  
Bowel Sounds :  
Umbilical Stump : 2A+IV  
Discharge :

**GENITILIA :** Labia / Hymen : Female Genitalia  
Testicles/penis :  
Anus : -> Patent

**HERNIAL ORIFICES** closed

**TRUNK and SPINE :** (N)

**SKIN LESIONS :** (N) - no

**EXTREMITIES :** Fingers / Toes :  
Arms / Legs : } (N)  
Deformities :  
Mobility :  
Hip Joint Examination : NO PPH



**SYSTEMIC EXAMINATION**

**Respiratory System :** *NvBST, B/LAET, No added sounds*

**Breathing Pattern :**  Regular  Periodic  Shallow  Gasping

Mention If baby has Respiratory distress : RR : ..... SCR / ICR / See - Saw breathing : .....

Scoring of respiratory distress if present (Silverman or Downe's) : .....

Mention if baby is on :  Hood box  CPAP  Ventilator

Settings : .....

Spo2 : *97% on RA* Auscultation : ..... Breath Sounds : ..... Added Sounds : .....

**Cardiovascular System :**

HR : *149/min* BP : ..... Precordial Activity : *(N)*

Femoral Pulses : *B/L well felt* Murmurs : *NO*

Other Peripheral Pulses : *well felt* Signs of Cardiac Failure : *NO*

**Abdomen :**

Shape : *normal* Hernia orifice : .....

Palpation : *(N)* Anal Patency : *patent*

Palpable masses : *No mass* Umbilical Cord : *2+IV*

Abdominal girth : ..... First urine passed : *NO*

Meconium passed : *NO*

**Nervous System :** Higher intellectual functions (Sensorium) : *Alert, activity Good*

State of wakefulness : .....

Prechtle Score : .....

**Nerves :**

*In*

**Motor System :**

Passive Tone : .....

Active Tone : .....

Neonatal Reflexes : .....

Grasp :  Palmar  Plantar  Sucking  Rooting  Crossed adductor : .....

Moro's : ..... DTR : .....

ATNR : ..... Skull and Spine : *Normal*




No

Diagnosis :


Term (37+2) / AGA (2.5kg / 10-50th centile) / CIAB / Hyperthyroidism in mother on PTU 50mg 1-0-1

FOOT PRINTS

Left Side :



Right Side :



Resident Doctor :

Signature :

Name :

Date & Time :

*[Signature]*  
Dr. Bashant  
10/6/26 10:30am

Consultant :

Signature :

Name :

Date & Time :

*[Signature]*  
Dr Dilnaaz  
10/6/26, 4:30pm

PLEASE FILL UP THE FOLLOWING DETAILS

- Name of the referring Doctor : .....
- Name of the referring Hospital : .....  
Address : .....  
Contact Numbers : .....
- Contact Details of the referring Doctor : .....  
Mobile No. : ..... E-mail ID : .....
- Name of the Doctor in Rainbow Team : *Dr. Dilnaaz* .....

..... on whose name the patient is being referred.



**AT THE TIME OF TRANSFER TO THE WARD**

Final Diagnosis : .....

Present Issues : .....

Vital :  HR : .....  RR : .....  BP : .....  SPO2 : ..... Weight : .....

Any Oxygen requirement : .....

Systemic : .....

Medications : - Shift to mother's side → DBF QdH  
→ Warm care  
→ Vaccination (BCG, OPV, Hep B)  
→ Inj. Vit K 0.5ml Given ✓  
→ (NBS) } at 48 Hrs  
(TSH) }

Plan during ward follow up :

DBR  
OAE

put

Feeding Plan at the time of shifting : .....

Screenings done during NICU Stay :

NSG : .....

Hearing Screen : .....

ROP : .....

TFT : .....

NP2 : .....



**PROGRESS NOTES AND DOCTOR'S ORDER**

Date & Time	Progress Notes	Doctor's Order
10/06/26	BCG	
2:05 PM	OPV	
	Hep-B given -	
10/6/26	c/s - Dr. Prashanti	
3:30 PM		
	Term / AGA / maternal hyperthyroidism	
	37+2w / 2.5kg	
	MOL - 5h 30 min	MBG - BT
		Bwt 2.5kg.
	HR - 140/min	Plan
	RR - 32/min	- DDF Q2H
	CFT < 3sec	- TSH/NBS
	Rt well felt	/ SBK } @ 48 HOL
		/ OAE
	c/t & Good	
	Pink.	
	Urine -	
	Stool -	
	Vaccination ✓	

Prashanti  
 Dr. Prashanti



# PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
10/6/26 5pm	C/SB - Dr. Dilnaaz	
	Δ - Term/AGA / male/mal 37+2 25 hyperthyroidism	
	HOL - 7.6 Bwt - 2.5	Plan
	o/E Doky Renk Euthemic.	✓ OBF 22kly.
	s/E wal	✓ check 4 limb saturation Dilnaaz
	Dr. Dilnaaz Farooqui Consultant - Neonatologist Reg. No. 27476	w.B. makshwari

1NH-00015905

IP26-00006551

Baby Of SANA RAFAI  
10-06-2026 0Y0M0D13H (F)  
Dr. DILNAAZ FAROOQUI



### PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
11/6 7:45 AM	ck/B Di. Pravar / Di. Sreeghar	
	FT 137 <sup>2</sup> wk / FVD / 2:5 kg / 1 mt Hypothyroid	
	T.W.H = 2.36 kg (↓ 1400g) ↳ (5.6 y.)	MBS / - B + BPS / B +ve.
	Baby Feathersons	
	Cry } Good Tone } Activity }	Ph 1) DBF jlt bulging a/m 2) SBR NBS ORS } e ka nol
	on DBF Passy (Vib Steth	3) Monthly Vitals
		Noted by Divya 11/6/26 @ Susan
		Pravar

1NH-00015905 IP26-00006551  
 Baby Of SANA RAFAI  
 10-06-2028 0 Y 0 M 0 D 13 H (F)  
 Dr. DILNAAZ FAROQUI



## PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
11/6 <del>9:00 AM</del>	<p>CLSI/3 Dr. Dilnaaz</p>	
	<p>Eutremic.</p>	<p><u>Plan</u></p>
	<p>CIT/A - Good</p>	<p>- DBP fls burpiy 2nd hour</p>
	<p>vitals - stable</p>	
	<p>RLS   NAP</p>	<p>- SBR } during NBS } followup OAE }</p>
	<p>U/V S/V</p>	<p>- F/U/P on.</p>
		<p>- Vit D<sub>3</sub> drops 0.5ml OD</p>
		<p>- Discharge today</p>
		<p>Dilnaaz</p>
	<p>Dr. Dilnaaz Farooqui Consultant Pediatrician Reg. No. 27476</p>	

HNH-00015905 IP26-00006551  
 Baby Of SANA RAFAI  
 10-06-2026 0 Y 0 M 0 D 1 H (F)  
 Dr. DILNAAZ FAROOQUI



212 (00) (00) f  
 (00) (00)

**Rainbow<sup>®</sup>  
 Children's  
 Hospital**  
 It takes a lot to treat the little.

**BirthRight<sup>™</sup>**  
 BY RAINBOW HOSPITALS  
 Your Right to a Safe Delivery

## RESULT SHEET

Date					
Time					
Hb					
PCV					
RBC					
WBC					
N/L					
Platelets					
CRP					
ESR					
PCT					
RBS					
Na					
K					
Cl					
Ca/Mg					
Phosphate					
Urea					
Creatinine					
ALP					
SGPT					
SGOT					
T.Bill/Conj					
T.Protein					
S.Albumin					
S.Globulin					
A/G Ratio					
Uric Acid					
S.Amylase					
Sr.Lipase					
Blood Lactate					
S.Cholesterol					
PT/INR					
APTT					
CSF Protein / Sugar					
Cells					
N/L					

Date						
Time						
CUE - Alb						
CUE - Sugar						
CUE - Ketones						
CUE - PUS Cells						
CUE - RBC Cells						
CUE						
Stool Pus Cell						
OVA / Cyst						
Occult Blood						
<i>blood grouping</i>						

Culture and Sensitivities : .....

.....

.....

.....

Radiology :      USG : .....

                    X-Ray : .....

                    ECHO : .....

                    CT : .....

                    MRI : .....


                    Others (ECG, Contrast Studies etc.) : .....

**INFANT (<1 year)**  
**Children's Observation & Early Warning Scoring Chart**



**EARLY WARNING SCORE: CHILDREN'S UNIT**

Date: 10/6/26	Time: 10 AM	2 PM	6 PM	10 PM	2 AM	6 AM
Doctor/Nurse/Family Concern?						



Heart Rate (bpm)	190					
and	150					
Blood Pressure (mmHg) *	140					
	130					
	120					
	110					
	100					
	90					
	80					
	70					
	60					
	50					

Heart Rate (Number)		149bpm	140bpm	137bpm	140bpm	149bpm
---------------------	--	--------	--------	--------	--------	--------

Resp. Rate (bpm) (Over 1 Minute) *	70					
	60					
	50					
	40					
	30					
	20					
	10					

Resp Rate (Number)	20	40bpm	40bpm	30bpm	40bpm	40bpm
--------------------	----	-------	-------	-------	-------	-------

Resp Distress	Mod/ Severe					
	None / Mild					

Receiving O <sub>2</sub> (l/min)						
O <sub>2</sub> Saturations (%)	100%	100%	100%	99%	99%	100%

Conscious Level	Normal					
	Altered					

GCS *						
-------	--	--	--	--	--	--

<b>TOTAL SCORE</b>						
Number of shaded boxes	0	0	0	0	0	0
Pain Score	0	0	0	0	0	0
Observer's Initials	D	D	D	D	D	D

<b>ACTIONS</b>	Score 1	: Continue normal observation by staff nurse
	Score 2	: Shift in charge nurse to be informed and continue hourly observations
	Score 3	: Shift in charge AND ER doctor/Floor Registrar to see and half hourly to hourly Observation to continue.
	Score 4	: Shift in charge AND treating consultant(till 8 PM) or On call night duty consultant to see
	Score 5 & 6	: Shift incharge and PICU /NICU fellow or PICU/NICU consultant to be informed

\* NB: If GCS is below 12 or the Oxygen requirement is >3 Lit./min. , then irrespective of rest of the score, the Nurse MUST inform the PICU team.

# CHILDREN'S OBSERVATION and EARLY WARNING SCORING TOOL

## INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child's routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when EARLY WARNING SCORE > 3			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child's clinical condition to a colleague.

<b>I</b>	<b>IDENTITY:</b> I am (name), a nurse on ward (X). I am calling about (child X)
<b>S</b>	<b>SITUATION :</b> I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
<b>B</b>	<b>BACK GROUND :</b> Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
<b>A</b>	<b>ASSESSMENT :</b> I think the problem is (XXX) and I have ... (e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
<b>R</b>	<b>RECOMMENDATION :</b> I need you to ... come to see the child in the next (XX mins) AND I s there anything I need to do in the meantime ? (e.g. stop the fluid/ repeat observation)



## CHILDREN'S OBSERVATION and EARLY WARNING SCORING TOOL

### INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child's routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when <b>EARLY WARNING SCORE &gt; 3</b>			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child's clinical condition to a colleague.

<b>I</b>	<b>IDENTITY:</b> I am (name), a nurse on ward (X). I am calling about (child X)
<b>S</b>	<b>SITUATION:</b> I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
<b>B</b>	<b>BACK GROUND:</b> Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
<b>A</b>	<b>ASSESSMENT:</b> I think the problem is (XXX) and I have ... (e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
<b>R</b>	<b>RECOMMENDATION:</b> I need you to ... come to see the child in the next (XX mins) AND is there anything I need to do in the meantime? (e.g. stop the fluid/ repeat observation)



# FLUID CHART

Sheet No. : 0 .....

- All measurements in ml.
- Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

Date	Time	Intake			Output					IV Site Thrombo-phlebitis Score	Sign. Nurse		
		Nature of Fluid	Route		NG	Diarrhoea	Vomit	Drainage	Urine				
			Mouth	I.V	N.G								
10/6/26	08:00 am												
	09:00 am												
	10:00 am	DBF											
	11:00 am												
	12:00 pm	DBF											
	01:00 pm												
<b>Total Intake :</b>		taken			<b>Total Output :</b>							U	M
10/6/26	02:00 pm												
	03:00 pm	DBF											
	04:00 pm												
	05:00 pm	DBF											
	06:00 pm												
	07:00 pm	DBF											
<b>Total Intake :</b>					<b>Total Output :</b>								
10/6/26	08:00 pm												
	09:00 pm	DBF											
	10:00 pm												
	11:00 pm	DBF											
	12:00 am												
	01:00 am	DBF											
<b>Total Intake :</b>		taken			<b>Total Output :</b>							U - 2	M - 2
10/6/26	02:00 am												
	03:00 am	DBF											
	04:00 am												
	05:00 am	DBF											
	06:00 am												
	07:00 am	DBF											
<b>Total Intake :</b>		taken			<b>Total Output :</b>							U - 2	M - 2

**Total 24 hrs. Intake**

**Total 24 hrs. Output**

INM-00015905  
 Baby Of SANA RAFAI  
 10-06-2028  
 Dr. DILNAAZ FAROOQUI  
 IP26-00006551  
 0 Y 0 M 0 D 13 H (F)



# FLUID CHART

Sheet No. : .....

- All measurements in ml.
- Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

		Intake				Output					IV Site Thrombo-phlebitis Score	Sign. Nurse
Date	Time	Nature of Fluid	Route		NG	Diarrhoea	Vomit	Drainage	Urine			
11/6/20			Mouth	I.V	N.G							
	08:00 am	DBF										
	09:00 am											
	10:00 am	DBF										
	11:00 am											
	12:00 pm	DBF										
	01:00 pm											
<b>Total Intake :</b>					<b>Total Output :</b>							
	02:00 pm											
	03:00 pm											
	04:00 pm											
	05:00 pm											
	06:00 pm											
	07:00 pm											
<b>Total Intake :</b>					<b>Total Output :</b>							
	08:00 pm											
	09:00 pm											
	10:00 pm											
	11:00 pm											
	12:00 am											
	01:00 am											
<b>Total Intake :</b>					<b>Total Output :</b>							
	02:00 am											
	03:00 am											
	04:00 am											
	05:00 am											
	06:00 am											
	07:00 am											
<b>Total Intake :</b>					<b>Total Output :</b>							


**Total 24 hrs. Intake**

**Total 24 hrs. Output**

HNH-00015905 IP26-00006551  
 Baby Of SANA RAFAI  
 10-08-2026 0 Y 0 M 0 D 1 H (F)  
 Dr. DILNAAZ FAROQQI



## NEONATAL PAIN AGITATION SEDATION SCORE (N-PASS)

Assessment Criteria	Sedation		Normal	Pain / Agitation		Date	Date	Date	Date	Date	Date	Date	Date	
	-2	-1	0	1	2	10/6	10/6	10/6/26	11/6					
						Time	Time	Time	Time	Time	Time	Time	Time	
						mp	62	Ni	Mc					
						Procedure →								
<b>Crying Irritability</b>	No Cry with painful stimuli	Moans or cries minimally with painful stimuli	Appropriate crying Not irritable	Irritable or crying at intervals consolable	High-pitched or silent-continuous cry Inconsolable	-	-	-	-					
<b>Behavior State</b>	No arousal to any stimuli No spontaneous movement	Arouses minimally to stimuli Little spontaneous movement	Appropriate for gestational age	Restless, squirming Awakens frequently	Arching, kicking constantly awake or Arouses minimally / no movement (not sedated)	-	-	-	-					
<b>Facial Expression</b>	Mouth is lax No expression	Minimal expression with stimuli	Relaxed Appropriate	Any pain expression intermittent	Any pain expression continual	-	-	-	-					
<b>Extremities Tone</b>	No grasp reflex Flaccid tone	Weak grasp reflex decreased muscle tone	Relaxed hands and feet Normal Tone	Intermittent clenched toes, fists or finger splay Body is not tense	Continual clenched toes, fists, or finger splay Body is tense	-	-	-	-					
<b>Vital Signs HR RR, BP, SaO<sub>2</sub></b>	No variability with stimuli Hypoventilation or apnea	Less than 10% variability from baseline with stimuli	Within baseline or normal for gestational age	Increase 10-20% from baseline SaO <sub>2</sub> 76-85% with stimulation - quick recovery	Increase greater than 20% from baseline, SaO <sub>2</sub> less than or equal to 75% with stimulation - slow recovery Out of sync or fighting ventilator	-	-	-	-					
 <p><b>Premature Pain Assessment: Scoring</b>        +3 if less than 28 weeks gestation age / Corrected Age        +2 if 28 - 31 weeks gestation age / Corrected Age        +1 if 32 - 35 weeks gestation age / Corrected Age</p> <p><b>Intervention</b>        Deep Sedation: Score = -10 to -5        Light Sedation: Score = -5 to -2        Pain Score less than or equal to 3 – No Intervention        Pain Score greater than 3 – Intervention</p>	<b>Gestational Age / Corrected Age</b>			-	-									
	<b>Total Pain / Agitation Score</b>			-	-									
	<b>Intervention</b>			-	-									
	<b>Effectiveness</b>			-	-									
	<b>Signature</b>													

## NPASS: Neonatal Pain, Agitation & Sedation Scale

	Sedation	Pain / Agitation
<b>How to use</b>	<ul style="list-style-type: none"> <li>Observe the infant for a minute before selecting a score for each behavior.</li> <li>Stimulate the infant and observe and select a score for each behavior.</li> <li>Select only one numeric value (Highest) per behavior.</li> </ul>	<ul style="list-style-type: none"> <li>Observe the infant for a minute before selecting a score for each behavior.</li> <li>Select only one numeric value per behavior.</li> </ul>
<b>Scoring/ Documentation</b>	<ul style="list-style-type: none"> <li>Sedation scores are negative scores only</li> <li>Add the scores from the 5 individual behavior areas to generate a total NPASS Sedation score. (Do not add points for correcting gestational age)</li> <li>NPASS Sedation total score has a range from 0 to -10 possible.</li> <li>Document total NPASS Sedation score in the medical record.</li> </ul>	<ul style="list-style-type: none"> <li>Pain/Agitation scores are positive scores only</li> <li>Determine if scoring needs to be adjusted based on the patient's gestational age. See Premature Pain Assessment criteria.</li> <li>Add the scores from the 5 individual behavior areas and for corrected gestational age (if indicated) to generate a total NPASS Pain/Agitation score.</li> <li>NPASS Pain/Agitation total score has a range from 0 to 13 possible.</li> <li>Document the total NPASS Pain/Agitation score in the medical record</li> </ul>
<b>Interpretation</b>	<ul style="list-style-type: none"> <li>Desired levels of sedation vary according to the situation.</li> <li>Discuss and determine sedation goal with provider.               <ul style="list-style-type: none"> <li>"Deep sedation": goal score of -10 to -5                   <ul style="list-style-type: none"> <li>Deep sedation is not recommended unless an infant is receiving ventilator support, related to the high potential for hypoventilation and apnea</li> </ul> </li> <li>"Light sedation": goal score of -5 to -2</li> </ul> </li> <li>Reassess patient per frequency in local sedation policy</li> <li>A negative score without the administration of opioids/ sedatives may indicate:               <ul style="list-style-type: none"> <li>The premature infant's response to prolonged or persistent pain/stress</li> <li>Neurologic depression, sepsis, or other pathology</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Does not provide pain intensity rating.</li> <li>Any score greater than 3 indicates the possibility of the presence of pain in the infant               <ul style="list-style-type: none"> <li>Continue evaluation to determine individualized patient interventions (non-pharmacological and pharmacological).</li> <li>Reassess patient per frequency of local pain policy.</li> <li>If upon reassessment, the NPASS pain/agitation total score remains consistent or higher, consider pharmacologic intervention.</li> </ul> </li> </ul>

HNH-00015905 IP26-00006551  
 Baby Of SANA RAFAI  
 10-06-2026 0 Y 0 M 0 D 1 H (F)  
 Dr. DILNAAZ FAROQUI



# BRADEN 'Q' SCALE



Date: 10/6/26 10/6 10/6/26 11/6/26  
 Time: mb E NI MG

Mobility	<b>1. Completely immobile:</b> Does not make even slight changes in body or extremity position without assistance.	<b>2. Very limited:</b> Makes occasional slight changes in body or extremity position but unable to completely turn self independently.	<b>3. Slightly limited:</b> Makes frequent through slight changes in body or extremity position independently.	<b>4. No limitations:</b> Makes major and frequent changes in position without assistance.	2	3	3	3
"Activity The degree of physical activity"	<b>1. Bedfast:</b> Confined to bed	<b>2. Chairfast:</b> Ability to walk severely limited or non-existent. Cannot bear own weight and/or must be assisted into chair or wheelchair."	<b>3. Walks occasionally:</b> Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair.	<b>4. All patients too young to ambulate; OR walks frequently:</b> Walks outside the room at least twice a day and inside room at least once every 2 hours during walking hours.	2	4	4	4
Sensory Perception	<b>1. Completely limited:</b> Unresponsive (does not moan, flinch or grasp) to painful stimuli due to diminished level of consciousness or sedation, OR, limited ability to feel pain over most of the body surface.	<b>2. Very limited:</b> responds to only painful stimuli, cannot communicate discomfort except by moaning or restlessness; OR, has sensory impairment that limits the ability to feel pain or discomfort over half of body.	<b>3. Slightly limited:</b> Responds to verbal commands, but cannot always communicate discomfort or need to be turned; OR, has some sensory impairment that limits ability to feel pain, or discomfort in one or two extremities.	<b>4. No impairment:</b> Responds to verbal commands. Has no sensory deficit that would limit ability to feel or communicate pain or discomfort.	4	4	4	4
Moisture Degree to which skin is exposed to moisture	<b>1. Constantly moist:</b> Skin is kept moist almost constantly by perspiration, urine, drainage, etc. Dampness is detected every time patient is moved or turned.	<b>2. Very moist:</b> Skin is often, but not always, moist. Linen must be changed at least every 8 hours.	<b>3. Occasionally moist:</b> Skin is occasionally moist, requiring linen change every 12 hours.	<b>4. Rarely moist:</b> Skin is usually dry, routine diaper changes; linen only requires changing every 24 hours.	4	4	4	4
<b>FRICITION-SHEAR</b> <b>Friction</b> Occurs when Skin moves against support surfaces <b>Shear</b> Occurs when skin and adjacent bony surface slide across one another	<b>1. Significant problem:</b> Spasticity, contracture, itching, or agitation leads to almost constant thrashing and friction.	<b>2. Problem:</b> Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent repositioning with maximum assistance.	<b>3. Potential problem:</b> Moves freely or requires minimum assistance. During a move, skin probably slides to some extent against sheets, chair, restraints, or other devices. Maintains relative good position in chair or bed most of the time but occasionally slides down.	<b>4. No apparent problem:</b> Able to completely lift patient during position change, moves in bed and in chair independently and has sufficient muscle strength to life up completely during move. Maintains good position in bed or chair at all times."	4	4	4	4
Nutritional Usual food intake pattern	<b>1. Very Poor:</b> NPO/or maintained on clear liquids, or IVs for more than 5 days OR albumin < 2.5 mg/dl OR never eats a complete meal. Rarely eats more than half of any food offered. Protein intake includes only 2 servings of meat or dairy products per day. Takes fluids poorly. Does not take a liquid dietary supplement.	<b>2. Inadequate:</b> Is on liquid diet or tube feedings/TPN, which provides inadequate calories and minerals for age OR albumin < 3 mg/dl OR rarely eats a complete meal and generally eats only about half of any food offered. Protein intake includes only 3 servings of meat or dairy products per day. Occasionally will take a dietary supplement.	<b>3. Adequate:</b> Is on tube feedings or TPN, which provide adequate calories and minerals for age OR eats over half of most meals. Eats a total of 4 servings of protein (meat, dairy products) each day. Occasionally will refuse a meal, but will usually take a supplement if offered.	<b>4. Excellent:</b> Is on a normal diet providing adequate calories for age. For example, eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and dairy products. Occasionally eats between meals. Does not require supplementation.	4	4	4	4
Tissue Perfusion & Oxygenation	<b>1. Extremely compromised:</b> Hypotensive (MAP < 50 mm Hg; < 40 in a newborn) or the patient does not physiologically tolerate position changes.	<b>2. Compromised:</b> Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be > 2 seconds; serum pH is < 7.40.	<b>3. Adequate:</b> Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be 2 seconds; serum pH is normal.	<b>4. Excellent:</b> Normotensive, oxygen saturation > 95%; normal hgb; capillary refill < 2 seconds.	4	3	3	3

**TOTAL SCORE** 26 26 26 26  
**Evaluator's Name** [Signatures]

Severe Risk: less than 9 | High Risk: 10-12 | Moderate Risk: 13-14 | Mild Risk: 15-18 | Not at Risk: 19-23

Risk Score	Category	Action	<b>Support Surfaces</b> (Please Note: Only required for children who are deemed at risk due to altered mobility, consider occupation therapy referral for advice)
15-18	At Risk	<ul style="list-style-type: none"> <li>• Regular Turning Schedule</li> <li>• Enable as much activity as possible</li> <li>• Protect the heels</li> <li>• Use pressure redistribution surfaces</li> <li>• Manage moisture, friction and shear</li> <li>• Advance to a higher level of risk if other major risk factors are present</li> </ul>	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
13-14	Moderate Risk	<ul style="list-style-type: none"> <li>• Use the Same Protocol as for “At Risk” Patients</li> <li>• Position patient at 30 degree lateral incline using foam wedges</li> </ul>	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
10-12	High Risk	<ul style="list-style-type: none"> <li>• Follow the same protocol as for “Moderate Risk” Patients</li> <li>• In addition to regular turning schedule</li> <li>• Make small shifts in their position frequently</li> </ul>	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
Less than 9	Severe Risk	<ul style="list-style-type: none"> <li>• Use same protocol as for “High Risk” Patients</li> <li>• Add a pressure redistribution surface for patients with severe pain or with additional risk factors.</li> </ul>	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay



# NURSING CARE RECORD

Date: 10/6/26

**Goals**

- Maintain Airway and Oxygenation
- Relieve Pain & Discomfort
- Maintain Fluid Balance
- Improve Activity Tolerance
- Maintain Good Nutritional Status
- Maintain Skin Integrity
- Maintain Personal Hygiene
- Prevent Infection
- Meet Elimination Needs
- Ensure Safety
- Early Ambulation Reduce Anxiety
- Patient & Family Education
- Identify Potential Complications
- Any Others. Specify.....

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning	8AM to 2pm	⇒ Assess the patient condition ⇒ plumber vitals ⇒ plumber Nechuff	8AM to 2pm	⇒ Assessed the patient condition ⇒ maintain vitals & Rechecked ⇒ maintain Nechuff	patient is stable	vitals warmer	Candy
Afternoon	2pm	⇒ Assess the baby condition. ⇒ monitor the vitals. ⇒ DBF give every 2ndh. ⇒ provide comfortable position.	2pm	⇒ Assessed the baby condition ⇒ monitored the vitals. ⇒ DBF given every 2ndhourly ⇒ provided comfortable position.	pt is stable now	⇒ Re assessed the vitals	Ray
Night	8pm to 8AM	⇒ Assessed the baby condition ⇒ Monitor the vitals ⇒ DBF give every 2nd hourly ⇒ provide comfortable position	8pm to 8AM	⇒ Assessed the baby condition ⇒ Monitor the vitals ⇒ DBF give every 2nd hourly ⇒ provide comfortable position	pt is stable now	⇒ Re assessed the vitals	Ray

INH-00015905 IP26-00006551  
 Baby Of SANA RAFAI  
 10-06-2026 0 Y 0 M 0 D 13 H (F)  
 Dr. DILNAAZ FAROOQUI



# NURSING CARE RECORD

Date: 11/01/26

**Goals**

- Maintain Airway and Oxygenation
- Maintain Personal Hygiene
- Identify Potential Complications
- Relieve Pain & Discomfort
- Prevent Infection
- Any Others. Specify.....
- Maintain Fluid Balance
- Meet Elimination Needs
- Improve Activity Tolerance
- Ensure Safety
- Maintain Good Nutritional Status
- Early Ambulation Reduce Anxiety
- Maintain Skin Integrity
- Patient & Family Education

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning	8Am    2pm	→ Assess the baby condition. → monitor the vitals. → maintain I/O chest. → DRG give every 2nd h. → provide comfortable position	8Am    2pm	→ Assessed the baby condition. → monitored the vitals → maintained I/O chest. → DRG given every 2nd h. → provided comfortable positions	→ Baby is stable NOL	→ Reassessed the vitals	
Afternoon							
Night							



## NURSING SHIFT HAND OVER FORM

<b>SITUATION</b>	Diagnosis: <span style="font-size: 1.2em; margin-left: 50px;">NB.</span>		Any Infection: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Known If Yes Specify: .....				
	Surgery / Procedure:		Post OP Day:				
<b>BACKGROUND</b>	Date	10/6 E	10/6/26 NI				
	Shift						
	Medical Condition (Any special condition to be noted):	—	—				
Diet:	DBF	DBF					
<b>ASSESSMENT</b>	Allergy:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Ventilation (RA, NP, NIV, VENTI):	—					
	Tubes/Drains/Catheter:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Vital Signs:	Temp:	97.8°F	98.6°F			
		Res:	20b/m	43b/m			
	SpO <sub>2</sub> :	100%	100%				
	Pulse:	140b/m	135b/m				
	BP:	—	—				
	LOC:	—	—				
	Fall Risk Score:	—	—				
Pain Score:	1	—					
Skin Integrity	Good	Good					
<b>Recommendations</b>	Safety Needs:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Physiotherapy:	—					
	Others Specify:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Special Diet:	—					
	Critical Lab Test / Values:	—					
	Other Special Orders / Medications:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	PU Prophylaxis:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
DVT Prophylaxis:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
ADL (Dependent / Non Dependent):	—						
Post Operative Procedure Special Orders:		—					
Handed Over By Name :		mahi	Saram				
Signature / ID :							
Date:		10/6/26	11/6/26				
Time:		8 PM	8 AM				
Taken Over By Name :		Saram					
Signature / ID :							
Date:		10/6/26					
Time:		8 PM					

Patient Sticker



## NURSING SHIFT HAND OVER FORM

<b>SITUATION</b>	Diagnosis:	Any Infection: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Known If Yes Specify: .....						
	Surgery / Procedure:	Post OP Day:						
<b>BACKGROUND</b>	Date							
	Shift							
	Medical Condition (Any special condition to be noted):							
	Diet:							
<b>ASSESSMENT</b>	Allergy:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Ventilation (RA, NP, NIV, VENTI):							
	Tubes/Drains/Catheter:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Vital Signs:	Temp:						
		Res:						
		SpO <sub>2</sub> :						
		Pulse:						
		BP:						
		LOC:						
	Fall Risk Score:							
Pain Score:								
Skin Integrity								
<b>Recommendations</b>	Safety Needs:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Physiotherapy:							
	Others Specify:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	Special Diet:							
	Critical Lab Test / Values:							
	Other Special Orders / Medications:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
	PU Prophylaxis:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	
DVT Prophylaxis:	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No		
ADL (Dependent / Non-Dependent):								
Post Operative Procedure Special Orders:								
Handed Over By Name :								
Signature / ID :								
Date:								
Time:								
Taken Over By Name :								
Signature / ID :								
Date:								
Time:								

HNH-00015905 IP26-00006551  
 Baby Of SANA RAFAI  
 10-06-2026 0 Y 0 M 0 D 1 H (F)  
 Dr. DILNAAZ FAROOQUI



DATE: 10/6/26.

NEWBORN ANOMOLY ASSESSMENT CHECKLIST


S.NO	ASSESSMENT PARAMETERS	CHECKED BY REGISTRAR	CHECKED BY CONSULTANT	REMARKS
1	Palate	No cleft palate	NO left	No cleft palate
2	Pre natal teeth	no teeth	NO	Nil
3	Anal opening	Patent	N	Patent oral orifice
4	Genitalia	Female	N	Female genitalia
5	Spine	normal	N	(N)
6	Red reflex	Not yet checked	B/C Present	Red reflex seen in both eyes
7	4 limb saturation (before discharge)	Not yet checked	Equal	in all 4 limbs

*[Signature]*

Ped.Registrar signature

*[Signature]*

Ped.Consultant signature





## NURSING DEPARTMENT NEWBORN - NURSING ASSESSMENT FORM

(Select and 'tick mark' [ ✓ ] the boxes as applicable)

Baby's Name: ..... Mother's Name: Same

Date of Birth: 10/6/26 Time of Birth: 9:59 AM Gender:  Male  Female

Birth Weight: 2.500 Kgs HC: ..... cm Length: ..... cm

Meconium in Liquor:  Yes  No Cried at Birth:  Yes  No

Term / Pre-term / Post-term: .....

Resuscitated:  Yes  No Blood Group: Mother: ..... Baby: .....

Feeding:  Breast Feeding  Formula  Both First Feed Time: .....

AFFIX MOTHER'S IDENTIFICATION LABEL

Mode of Delivery:  Normal  LSCS - Emergency/ Elective  Instrumental  AVD

Indication: .....

### Physical Assessment of New Born:

Temp: 36.5 °C HR: 150 /Min RR: 43 /Min BP: ..... SpO<sub>2</sub>: 100

Pain Score: ..... ( Follow N Pass)

Fall Risk Assessment:  Yes  No Score: ..... (Fill the Humpty Dumpty Sheet)

Risk in Pressure Sore :  Yes  No (Braden Q Score) (Fill the Braden Q Sheet)

Behaviour Status on admission:  Sleeping  Crying  Calm  Drowsy

### Findings:

General Appearance: Posture :  Well-Flexed  Asymmetry

Skin:  Pink  Meconium Stain  Others, Specify: .....

Nursing Management: ( Please strike through If not applicable e.g. Yes / ~~No~~ )

Vitamin K 1 mg I.M Administered: Yes / No

Routine Care Provided: Yes / No

Capillary Blood Glucose Monitoring Done: Yes / No

Neonatal Screening Done: Yes / No

1. Nutritional Screening: Feeding Problem Yes / No

2. Functional Screening: Musculoskeletal Congenital Abnormality Yes / No

3. Socio History: Siblings Yes / No

All information obtained from  Mother  Father  Other Family Member

Newborn Screening Discussed: Yes / No

Nurse Name: Chauhan

Signature: [Signature]

Date & Time: 10/6/26



HNH-00015905 IP26-00006551  
Baby Of SANA RAFAI  
10-06-2026 0 Y 0 M 0 D 0 H (F)  
Dr. DILNAAZ FAROOQUI



## BILLING POLICY

- **Billing cycle:** - With effective from 1<sup>st</sup> January 2020, Our billing cycle to be start from 12 PM to 12 PM, Settlement post 12 PM, room rent will be charge for half day extra & post 6 pm, it will be charge for full day. Less than 24 hours stay will be considered as one day.
- As per the GOI guidelines, we can collect Rs 1,99,999/- only in cash mode, balance patient can pay through Card tpain the event of TPA/ Cashless denial or approval not received due to any reason then hospital tariff will be applicable and any discount or special rates given to TPA's / corporates won't be applicable.
- If the surgery / scans performed in Emergency hours (8pm - 7am), public holiday and on Sunday will be charged TPA processing charges Rs.720 for every TPA route cases.
- All charges vary as per Room category, except Pharmacy and consumables.
- We follows a "No Discounts Policy" kindly cooperate.
- No Duplicate/Second copy of OP OR IP bill is issued.
- ICU/Ward Charges DO NOT INCLUDE - Air Mattress, Monitor, Consultants/ Specialty Doctors Visit, Infusion/syringe pump, Ventilator/C pap, Oxygen, Investigations, Procedures, Consumables, Medicines or any other bedside equipment's/devices etc. (Detailed list can be taken from billing department).

Patient attendant can collect for Interim/provisional bill of the patient from the billing section on daily basis. Interim Bill shall be based on the acknowledged services in HIS. Final Bill of the patient may vary from the Interim bill based on actual update taken on the day of discharge. It is requested that patients/attendants inquire daily about the bill amount from billing section and pay the outstanding as on that day.

Patient bill outstanding should not be increase more than 10,000/-

You are requested to clear your outstanding amount on daily basis before 12 PM.

### MODE OF PAYMENT & REFUNDS

- We accept payments by cash (up to Rs 1,99,999/- only ), cards, online transfer and Demand Drafts.
- All refund more than Rs.2,000/- will be refund through NEFT in three Bank working days.

-----  
Name & signature of Patient/Attendant

-----  
(Signature of Admission Desk executive)

**NOTE: Self - attested Govt. ID proof is mandatory whosoever is signing the undertaking.**

### RAINBOW CHILDREN'S MEDICARE PRIVATE LIMITED

Registered Office: Road No.2, Banjara hills, Near Hotel Park Hyatt, Hyderabad - 500 034, T: +91 40 2233 4455.

Corporate Office: 8-2-19/1/A, Daulet Arcade, Karvy Line, Road No.11, Banjara Hills, Hyderabad - 500 034.

Branches : BANJARA HILLS - T: 2233 4455 | VIKRAMPURI - T: 4246 2200 | KONDAPUR - T: 4246 2400 | MADHAPUR  
- T: 6464 2020 | KUKATPALLY - T: 4246 2300 | L B NAGAR - T: 7111 1333 | MARATHAHALLI, BENGALURU - T: +91 80  
7111 2345 | BANNERGHATTA ROAD, BENGALURU - T: +91 80 2551 2345, HIMAYATNAGAR- T:- 40 48873000

