



DEFICIENCY CHECK LIST OF CASE SHEET

Sl.No.	List of Records	No. of Pages	Legibility	Completeness	Remarks
1	Admission sheet	1			
2	Discharge Summary	1			
3	Nursing Initial assessment	1			
4	Patient Transfer form	1			
5	In-patient Medical record	1			
6	Doctors progress sheets	3			
7	Nursing plan of care and handover sheets	2			
8	Consultation sheet				
9	General consent for treatment	1			
10	Consent for Surgery				
11	Consent for blood transfusion				
12	Consent for chemotherapy				
13	Consent for high risk				
14	Consent for Restraint				
15	LAMA consent				
16	Consent for special procedure / Sedation				
17	Consent for Formula feed				
18	Consent for MTP				
19	Consent for Radiological Investigations				
20	Consent for HIV test				
21	Anaesthesia notes (Pre Anaesthesia & post)				
22	Neonatal Admission/Delivery/Physical Exam				
23	Medication Reconciliation				
24	Emergency Triage record				
25	Pre operative check list				
26	Surgical safety checklist				
27	Operation Theatre notes				
28	Nurses clinical Presentation				
29	TPR & BP chart	3			
30	Intake and Out take chart (fluid chart)	2			
31	Drug chart (Regular Prescription)				
32	Investigation Values (result sheet)	1			
33	Nebulization chart				
34	Nutritional review chart				
35	Intensive care unit (ICU Charts)				
36	Consent for Admission in PICU / NICU				
37	The Humpty dumpty scale				
38	Braden Q Scale	2			
39	Bed side check list				
40	PICU bed formula Dilution feeds				
41	Gastro monitoring chart				
42	Rch ED doctors note				
43	BP Monitoring chart				
44	RBS monitoring chart				
	<i>Billing</i>	1			
	<i>Others</i>	5			
	Total No. of Pages	25			

DISCHARGE SUMMARY

Name	Baby Of SRIPRIYA KAMARAJUGADDA	UHID	HNH-00015915
Father/Guardian	Mr VIKRAM VARANASI	Age/Gender	0 Y 0 M 0 D 1 H/ Female
Address	Himayat Nagar East, Himayat Nagar East, Hyderabad, Telangana, INDIA, 500029		
IP No	IP26-00006555	Admission Date	10-06-2026
Ref Doctor	SELF		
Discharge Date	13.06.2026		

Consultant:
Dr. DILNAAZ FAROOQUI
MBBS DNB
56763

DIAGNOSIS	ICD CODE
TERM (39 weeks + 2 days)/AGA/BABY GIRL	

History: Baby Of SRIPRIYA KAMARAJUGADDA is a term (39 weeks + 2 days) baby girl, delivered to a primi mother by emergency lscs on 10.06.2026 at 03:55 pm with birth weight of 3.78 kgs in Rainbow Children's Hospital, Himayatnagar Hyderabad. Baby cried immediately after birth. Apgar scores were 6/10 at 1 min, 8/10 at 5 min. Inj. Vitamin K 1mg IM was given after delivery. Delayed cord clamping done. Fetal presentation was Vertex.

Name	Baby Of SRIPRIYA KAMARAJUGADDA	UHID	HNH-00015915
IP No	IP26-00006555	Admission Date	10-06-2026

Maternal History: Mrs. SRIPRIYA KAMARAJUGADDA is a 29 years old primi mother.

G1 - Present pregnancy, spontaneous conception, had regular Antenatal checkup's, received 2 doses of Injection. Tetanus Toxoid. Antenatal scans were normal. History of Oligohydramnios. No history of Pregnancy Induced hypertension/ Urinary Tract Infection/ Antepartum Haemorrhage/ Hypothyroidism/ Gestational Diabetes Mellitus/ Polyhydramnios/ Prolonged Rupture Of Membranes/ Fever.

Mother's Blood group is O positive. Baby's blood group is O positive.

Examination: Baby was eutermic (36.5 *F), euvolemic and was maintaining saturations at room air. On auscultation of chest, air entry was bilaterally equal with normal heart sounds. Bilateral femoral pulses well felt. Abdomen was soft with no organomegaly. Cry and activity were good. Anterior fontanelle was at level. No obvious external congenital anomalies were noted clinically. All external orifices were patent and open. All neonatal reflexes were normal.

Anthropometry:

Weight at birth : 3.78 kgs.
Weight at discharge : 3.56 kgs.
Head Circumference : 34 cms.
Length : 48 cms.

Investigations: Enclosed reports.

Management:

Course during hospital:

Name	Baby Of SRIPRIYA KAMARAJUGADDA	UHID	HNH-00015915
IP No	IP26-00006555	Admission Date	10-06-2026

In view of maternal history of gestational diabetes mellitus, baby's blood sugar levels were serially monitored which remained stable.

Serum bilirubin report awaited.

Feeding: Breast feeding was initiated (First feed was given within 30 minutes), but in view of insufficient mother milk / excessive weight loss, measured feeds were started. Baby tolerated the feeds well.

Vaccination: Baby was given following vaccination:

Vaccine Name	Status	Date
BCG	Given	11.06.2026
OPV	Given	11.06.2026
HEPATITIS B	Given	11.06.2026

TEOAE (Transient Evoked Otoacoustic Emissions): Hearing test: To be done on follow up.

Newborn screening advanced / Newborn screening-4: Sent on 12.06.2026, report awaited.

SPO2 : 98 % at room air
Red Reflex: Present & Symmetrical
Hip Examination was normal.

Baby tolerating feeds well, hemodynamically stable, passed urine and

Name	Baby Of SRIPRIYA KAMARAJUGADDA	UHID	HNH-00015915
IP No	IP26-00006555	Admission Date	10-06-2026

meconium, hence being discharged with the following advice.

Condition at discharge: Baby is pink, warm, active and on direct breast feeds + measured feeds.

Advice:

Keep the baby clean & warm

Regular breast feeding

Continue direct breast feeds + measured feeds as advised.

Monitor urine output

Immunization as per schedule

Vitamin D3 Drops (1ml/800IU) 0.5ml once daily till further advice (after 5 days of life).

Nasoclear Nasal drops 2 drops in each nostril SOS for nose block.

Plan:

1. **Newborn screening advanced / Newborn screening-4 report to be collected on followup.**
2. **Hearing test (TEOAE-Transient Evoked Otoacoustic Emissions) to be done on followup.**
3. **Serum Bilirubin report to be collected on follow up.**

Review consultation with Dr. DILNAAZ FAROOQUI on Monday(15.06.2026) at Himayatnagar with prior appointment **(Review consultation will be charged).**

Review back to Hospital: If baby is not feeding continuously for > 6 hours, If breathing fast, Fever or poor activity or lethargy, Bluish discolouration of lips, Increase in jaundice, Abnormal movements occurs.

Name	Baby Of SRIPRIYA KAMARAJUGADDA	UHID	HNH-00015915
IP No	IP26-00006555	Admission Date	10-06-2026

The content of the patient discharge summary, medication, food & drug interaction, care to be provided at home, nutrition, immunization and safe parenting, when and how to obtain emergency care etc also have been explained by doctor in a language that I can understand and I acknowledge.

Parent/ Attender

In case of emergency contact 9154865030 emergency pediatrician on duty.

To take appointment for OPD consultation at Rainbow **Himayatnagar / Banjara Hills / Rainbow Clinic Madhapur / Kukatpally / Vikramपुरi / LB Nagar** dial just one toll free number **18002122**.

You can also take appointments at any time by going **online** to our website **www.rainbowhospitals.in**

naipunya
Registrar/Resident/C.M.O

Dr. DILNAAZ FAROOQUI
MBBS DNB

56763

CONSENT FOR FORMULA FEEDS



Patient Name : B/o Sripriya Age : Gender : Male Female

UHID No : No. : Department : Date :

I Mr / Mrs. : aged years, hereby declare that I have admitted my neonatal Intensive Care Unit of Rainbow Children's Hospital, Hyderabad on

..... I hereby give consent for formula feed for my child. Doctors have explained me about the formula feeding benefits, risks, alternatives in the language I best understand.

Patient Attendant :

Signature : Kompinja

Name : SRIPRIYA K

Relationship with Patient:

Date & Time : 11/6/26 @ 2AM

Witness :

Signature : Pranav

Name :

Date & Time : 11/6/26 @ 2AM

Doctor (who is taking the consent) :

Signature : Pranav

Name : Pranav

Date & Time : 11/6/2026 @ 2AM



డబ్బా పాలు పట్టించుటకు సమ్మతి పత్రం

రోగి పేరు : వయస్సు లింగం పు స్త్రీ

యు.హెచ్.ఐ.డి. రిజిస్ట్రేషన్ నెం.: విభాగము

తేదీ

నేను శ్రీ / శ్రీమతి వయస్సు సంవత్సరాలు

నా కుమార్తె / కుమారుడు రెయిన్ఫో ఆసుపత్రిలో నవజాత శిశువుల ఇంటెన్సివ్ కేర్ లో అడ్మిట్ చేసినాము మరియు (ఫార్ములా

ఫీడ్) డబ్బా పాలు పట్టించుటకు నా పూర్తి అంగీకారం తెలుపుచున్నాను. డాక్టర్లు డబ్బా పాలు త్రాగించడం వల్ల కలుగు

ఉపయోగాలు, ప్రత్యామ్నాయాలు, మరియు నష్టాలు గురించి నాకు అర్థమైన భాషలో వివరించారు.

సహాయకుడు(అటెండెంట్)

సాక్షి

సంతకము

సంతకము

పేరు

పేరు

వైద్యుడు (ఎవరైతే సమ్మతి తీసుకుంటున్నారో)


తేదీ మరియు సమయము

సంతకము

పేరు

PATIENT TRANSFER FORM



Patient Name & UHID No. HNH-00015915 IP26-00006555 Baby Of SRIPRIYA KAMARAJUGADDA 10-06-2026 0 Y 0 M 0 D 1 H (F) Dr. DILNAAZ FAROOQUI 	Date & Time of Admission <p style="font-size: 1.2em; text-align: center;">10/6/26 @ 9:41pm</p>	Date & Time of Transfer Order <p style="font-size: 1.2em; text-align: center;">10/6/26 @ 9pm</p>
Transfer Ordered by <p style="font-size: 1.2em; text-align: center;">Dr. Dilnaaz</p>	Reason for Transfer <p style="font-size: 1.2em; text-align: center;">OB/G</p>	
From Unit <p style="font-size: 1.2em; text-align: center;">preg post</p>	To Unit <p style="font-size: 1.2em; text-align: center;">(307)</p>	Information to Attendant Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
Number of Sheets in Clinical File <p style="font-size: 1.2em; text-align: center;">30</p>	Number of Imaging Films <p style="font-size: 1.2em; text-align: center;">Nil</p>	Personal belongings including clinical documents. If any handed over to attendant Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> If yes, what ?
Medications / Consumables / Surgicals / Hand over		
Sl.No.	Item Name	Quantity
1.	NA	
2.		
3.		
4.		
5.		
Shifting Summary / Notes Written by Doctor : Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
Name & Signature of Person who is Transferring <p style="font-size: 1.2em; text-align: center;">Madhumita @ Madhu</p>		Name of Person Ordered Transfer <p style="font-size: 1.2em; text-align: center;">Dr. Dilnaaz</p>
Patient & Clinical Records Received by : <p style="font-size: 1.2em; text-align: center;">Priyanka 10/6/26 @ 9:10pm</p>		
Date & Time of Patient Received :		

If the transfer order time & Completion time is more than 30 minutes, please tick the reason mentioned below :

- Unavailable Bed
 Nurse not Available
 Available Bed not ready

**Rainbow Childrens Hospital-Himayatnagar**

Rainbow Children's Hospital, Door no. 3-6-267, opp. Cafe niloufer, Old MLA quarters road AP State Housing Board Himayatnagar ,Hyderabad ,Telangana, INDIA ,500029.

TEL NO :040-48873000

WEB : <https://rainbowhospitals.in>**ADMISSION SHEET****Registration Details :**

Admission No : IP26-00006555 Admit Date : 10-Jun-2026 Admit Time : 04:41 PM UHID : HNH-00015915

Patient Details :

Patient Name : Baby Of SRIPRIYA KAMARAJUGADDA Age : 0 D
Guardian : Mr VIKRAM VARANASI DOB : 10-06-2026 03:55 PM
Gender : Female Religion :
Occupation : Martial Status :
Address (H) : Himayat Nagar East Himayat Nagar East Phone No : 7981148120/
Hyderabad Telangana INDIA 500029 E-mail : 7981148120@GMAIL.COM

Admission Details :

Bed Type : BASINET Bed No : CRDL-HNPDA-414-1 Ward Name : 4F -OT
Room No : CRDL-HNPDA-414-1 Admission Type : First Visit

Contact Details :

Name : Mr VIKRAM VARANASI Relationship : Father
Contact Address : Himayat Nagar East Himayat Nagar East Phone No : 7981148120
Hyderabad Telangana INDIA 500029


Signature**Doctor Details :**

Doctor Name : Dr. DILNAAZ FAROOQUI Specialisation : GENERAL PEDIATRICS
Referral Doctor : SELF Phone No :
Co-Consultant :

Payment Details :

Payment Mode : DC/CC Card Deposit Amount : 10000.00
Payor Name : SELFPAY

Date	Time	Investigation	Result	Order No.	Signature
10/06/2026	5:20 PM	Blood group		9618	Anusha
10/06/2026	5:20 PM	ABG		9619	
10/06/2026	4:30 PM	GRBS ^{0 body}	54 mg/dl	96020	
10/06/2026	4:30 PM	GRBS ^{380 mg}	64 mg/dl	9628	
11/06/2026	1:30 PM	GRBS ^{0 body}	65 mg/dl	9635	
11/6/26	7:30 AM	GRBS ^(12 hrs)	70 mg/dl	9636	Scheeky
11/6/26	3:55 PM	GRBS (2 hrs)	69 mg/dl	9663	done
11/6/26	3:55 AM	GRBS (36 hrs)	63 mg/dl	9687	
12/6/26	3:33 PM	SBR		9718	Romya
"	"	ABG			
Cross Cleared by Romya 12/6/26 at 4 pm.					
12/6/26	11:20 PM	DSPT	13/6/28 @ 10 AM	6362	

HNH-00015015 IP26-00006555
 Baby Of SRIPRIYA KAMARAJUGADDA
 10-06-2026 0 Y 0 M 0 D 1 H (F)
 Dr. DILNAAZ FAROOQUI



NEONATAL IN-PATIENT MEDICAL RECORD

ADMISSION INFORMATION

Mother's Name : Sripriya Kamarajugadda Age : 29y Father's Name : Age :
 Date of Birth : 10/06/26 Date of Admission : UHID No. :
 NICU Consultant : Referring Consultant :
Transferring Unit : OT Labour Room ER Ward
Transported ? Yes No - If yes : Long (> 30 kms) Short (< 30 kms)

BIRTH INFORMATION

Name : BS to Sripriya Kamarajugadda Mother's Blood Group : O+ve
 Gender : M F Blood Group : Birth Weight (gms) : 3780 gm Length (cms) : 48 cm
 Date of Birth : 10/06/26 Time of Birth : 3:55 PM OFC (cms) : 34 cm
 Place of Birth : RCH, Hemmatabad Estimated Gesth Age :

Current Obstetric History : (Booked / Unbooked Case)
 Maternal Age : Ht : Wt : BMI : Married Life : LMP : EDD :
 Conception : Spontaneous or with Rx : Spontaneous
 Booked at what GA : 30+ w AN Steroids Drugs / Doses :
 Last Scans Details : 09/06/26: SLIJE, Cephalic pt - post high
AFI - 7.1 cm (at gestational week) TT Immunization and Iron / Folic Acid :

MATERNAL RISK FACTORS

Age : <18 yrs > 35yrs
 Consanguinity : Yes No
 If yes, degree of consanguinity : 1 2 3
H/o PIH (after 20 weeks) / PE
 How many Drugs / Doses / Since how long :
 H/o value of recent BP recording, proteinuria, edema, oliguria, any investigations (LFT, platelet count) :
 IUGR - when detected :
 Doppler (Increased Resistance / ADEF / REDF / Redistribution in MCA) / Ductus Venosus :
 AFI : 7.1

H/o GDM pre GDM/ on diet or insulin
 Controlled or not, recent values, HbA1 values :
 Compliance with Rx :
 Scans : LGA, TIFFA , Fetal Echo :
H/o Hypothyroidism : when diagnosed ? Medication?
 Any other Chronic Medical Problems, when detected drugs ?
 (Anemia, SLE, Jaundice, CHD, Heart Disease)
 Infection : H/O, Fever
 (Malaria UTI TORCH TB HIV HBV)
 UTI : when : Any culture :

PPROM : Duration : Uterine Tenderness Foul Smelling Liquor HVS (if taken) - Results :
 Medication during Pregnancy : Duration :



PAST OBSTETRIC HISTORY

G: P: A: L:

Sl. No.	Age	GA wks	B. W	Gender	Significant	Details
		39+2 w	3780 gm	Female	CIAB / Eclampsia	

PERINATAL HISTORY

Treating Obstetrician : Hospital : Inborn Outborn

Duration of Labour First stage (> 18 hours sig) Second stage (> 2 hours after dilation) LSCS: <input type="checkbox"/> Elective <input checked="" type="checkbox"/> Emergency Indication : Specify the reason: <i>Non progression of labour</i> Augmentation of Labour: <input type="checkbox"/> Induced <input type="checkbox"/> Assisted Vaginal	CTG: <input type="checkbox"/> Normal <input type="checkbox"/> Suspicious <input type="checkbox"/> Pathological MSL : Resuscitation: <input type="checkbox"/> Yes <input type="checkbox"/> No Cord ABG : Placenta: (weight, surface, No. of cotyledons, calcifications, malformations, clots etc :
--	---

NEONATAL RESCUSITATION DETAILS

APGAR SCORE

Forceps used.

Gestational Age : Weeks :

SIGN	0	1	2
COLOUR	Blue or Pale	Acrocyanotic	Completely Pink
HEART RATE	Absent	< 100 Minutes	> Minutes
REFLEX IRRITABILITY	No Response	Grimace	Cry or Active Withdrawal
MUSCLE TONE	Limp	Some Flexion	Active Motion
RESPIRATION	Absent	Weak Cry; Hypoventilation	Good, Crying

	1 Minute	5 Minutes	10 Minutes
	1	2	
	2	2	
	1	1	
	1	1	
	1	2	
TOTAL	6/10	8/10	

Resuscitation			
Minutes	1	5	10
Oxygen			
PPV / NCPAP			
ETT			
Chest Compressions			
Epinephrine			

Comments :

POSTNATAL / HISTORY OF PRESENT ILLNESS

Chief Complaints :

Term (39+2 w) / Female / CIAB / 35 wts. 3780 gm / A/C
Eclampsia
(non progression of labour +
oxytocin augmentation)

HNH-00015915 IP26-00006555
Baby Of SRIPRIYA KAMARAJUGADDA
10-06-2026 0Y0M0D1H (F)
Dr. DILNAZ FAROOQUI



Patient Sticker

History of Present Illness:

Female.
Baby

delivered by ~~Emergency~~ on 10/26/26 3:55 PM

↓
Baby cried immediately after birth

↓
Delayed cord clamping done

↓
Routine newborn care given
vitamin - K₁ given

↓
Shift to mother side

Investigation details in previous Hospital :

Feeding History :



Handwritten notes in the top section, possibly detailing patient information or initial observations.

Family History :

Handwritten notes in the Family History section.

Socio Economic History :

Handwritten notes in the Socio Economic History section.

GENERAL EXAMINATION ON ADMISSION

General Disposition :

Handwritten notes in the General Disposition section.

VITALS : Temperature : *6th mer* HR : *150/min* RR : *38/min* NIBP : CFT :
Color of the extremities : *pink*
Jaundice : *0* Pallor : *0* SpO2 : *96% @ RA*

Anthropometry : Birth Weight : *3750 gm* Length : HC : Present Weight :
Ponderal Index : AGA : SGA : LGA :



HEAD TO TOE EXAMINATION

HEAD :	Fontanelles : Sutures Shape / Moulding : Edema / Bruising : Size - (H.C.) :
Facies : (Any Facial Dysmorphism)	
NECK and CLAVICLES :	Range of Motion : Asymmetry : Masses :
EYES :	Symmetry : <i>Normal</i> Red Reflex : Discharge :
EARS, NOSE MOUTH and THROAT :	Ear set / Shape : Periauricular Pits / Tags : Nasal shape / Patency : Palate : Gums : Lips : Tongue :
THORAX and BREASTS :	Shape of Thorax : Position of Nipples and Number :
ABDOMEN and UMBILICUS :	Shape : Organomegaly : Bowel Sounds : Umbilical Stump : Discharge :
GENITILIA :	Labia / Hymen : Testicles/penis : Anus :
HERNIAL ORIFICES	
TRUNK and SPINE :	
SKIN LESIONS :	
EXTREMETIES :	Fingers / Toes : Arms / Legs : Deformities : Mobility : Hip Joint Examination :



SYSTEMIC EXAMINATION

Respiratory System :

Breathing Pattern : Regular Periodic Shallow Gasping

Mention If baby has Respiratory distress : RR : SCR / ICR / See - Saw breathing :

Scoring of respiratory distress if present (Silverman or Downe's) :

Mention if baby is on : Hood box CPAP Ventilator

Settings :

Spo2 : Auscultation : Breath Sounds : Added Sounds :

Cardiovascular System :

HR : 160/min BP : Precordial Activity :

Femoral Pulses : Murmurs :

Other Peripheral Pulses : Signs of Cardiac Failure :

Abdomen :

Shape : Anal Patency :

Palpation : Umbilical Cord : 2.4A = 1.1V

Palpable masses : round First urine passed :

Abdominal girth : Meconium passed :

Nervous System : Higher intellectual functions (Sensorium) :

State of wakefulness :

Prechtle Score :

Nerves :

.....

.....

.....

Motor System :

Passive Tone :
Active Tone : round

Neonatal Reflexes :

Grasp : Palmar Plantar Sucking Rooting Crossed adductor :

Moro's : DTR :



ATNR : Skull and Spine :



Any Congenital Anomalies : *No congenital anomalies*

Diagnosis : *Term (34+2w) / female / CIAS / An US (ilicla. No pyruen*
..... *B. wt: 3780gm / AEA / (Oligohydramnios) (Loaolu)*

FOOT PRINTS



Resident Doctor :
Signature : *Sambath*
Name : *Dr. Sambath*
Date & Time : *10/06/26, 2:55 PM*

Consultant :
Signature : *Dilnaaz*
Name : *Dr. Dilnaaz*
Date & Time : *10/6/26, 4:30 pm*

PLEASE FILL UP THE FOLLOWING DETAILS

- Name of the referring Doctor :
- Name of the referring Hospital :
Address :
Contact Numbers :
- Contact Details of the referring Doctor :
Mobile No. : E-mail ID :
- Name of the Doctor in Rainbow Team :
..... on whose name the patient is being referred.



AT THE TIME OF TRANSFER TO THE WARD

Final Diagnosis :

Present Issues :

Vital : HR : RR : BP : SPO2 : Weight :

Any Oxygen requirement :

Systemic :

Medications :

- ^{Acids} DTSP 1/4b. 2nd hourly
- Cord TSCud Jar
- Baby blood grouping
- Vaccination (TSCu / HepB / OPV) @ 9
- SDR, NPS, OAG @ 48HOL

Plan during ward follow up :

- Newborn care
- ABBS monitoring

Feeding Plan at the time of shifting :

feeding time
→ 4:20 to 4:29 PM

Screenings done during NICU Stay :

NSG :

Hearing Screen :

ROP :

TFT :

NP2 :



PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
11/6 7m	C/S/B Di. Pranav / Di. Sravani	
	FT / 39 ⁺² wk / E LSCS / F /	3-78 kg M) 0+
	T-WT - 3.680 kg (↓ 100g) (2.64% WT loss)	B)
	Baby on DBF Enteral	Pl
	Cry } Tone } Activity } Good	1) Wk care 2) DBF / 16 bagging O ₂ S 3) SBR NBS } C & 8 NOL OPE }
	Passed Urin Macomin	4) Vaccination today (BCG, OPV, Hep B) 5) SRBS Monitoring #24 HCL / 36 / 4.8m 4
	N/B pryantha.	
		Pranav

PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
11/6 9:00 AM	C/S/O/S Dr. Dilnaaz	
	Euthemic	Plan
	C/T/A - Good	
	Vitals - stable	- DBF + PR 2nd hourly
	RLS NAD	fb bumping
	PIA	= SBR } 12/6
		NBS } 4:00pm
		OAE }
	11/6/26	- Vaccination today
	BCG	- GRRBC monitoring
	OPV	24, 36, 48 hrs
	Hep-B } given	- monitor vitals
	SB	- 4 limb Saturation
		- Red reflex to check

Dr. Dilnaaz Farooqui
 Consultant Pediatrician
 Reg. No. 27476

Dilnaaz



PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
11/6/26 2:30pm	<p>c/s/by Dr. Dilnaaz</p> <p>1/39+2 / F/3-78kg.</p>	
	<p>Baby eutheric</p> <p>-Active.</p>	
	<p>vital stable</p> <p>S/E NAD</p>	<p>✓ DBF Ochs jlb buy</p> <p>✓ Sample c 4pro (12/6/26)</p>
	<p><u>A.</u></p>	<p>✓ GRBS Monitorj</p> <p>✓ Redreflux Pendi</p>
		<p>MB Saranda</p>
11/6/26 4:40pm	<p>c/s/by Dr. Dilnaaz</p> <p>1/39+2 / F/3-78kg</p>	
	<p>c/i/A good</p> <p>vital stable.</p>	<p>✓ Sample Trs 4pm</p>
	<p>Redreflex</p> <p>B/c percent</p>	<p>✓ DBF Ochs jlb buyj</p>
	<p><u>S/E NAD</u></p>	<p>✓ GRBS Monitr</p> <p>✓ <u>Mlt</u> vitals</p>
	<p>Dr. Dilnaaz Farooqui Consultant Pediatrician Reg. No: 27476</p>	<p>MB Saranda</p> <p>Dilnaaz</p>



PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
	C/S/Lb. D. Subhant (D. Varun)	
12/06/26		
7 AM	Term (39+2w) / female / TS. wt: 3780 gm	T. wt: 3560 gm
	Baby Euthanasia	(5.8% weight loss)
	passed urine / Stool	
	Cry / Tone / Activity - good	
	Vitals - stable	
	S/G: NAD	
		Adv
	wt loss - 5.8%	- DTSE flk Sipping 2nd hourly
		- STER. NIBS OAB @ 4 AM
		- (4 PM) today
		- Monitor vitals and
		Stafarm 501
		- NIBS warm can
		Subhant
		Noted by Priyanka
		8 AM



PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
12/6	<u>CLINIC Dr. Dilnaaz</u>	
9:00 AM	Eutheic.	<u>Plan</u>
	C/T/A - Good vitals - stable.	- DBF 2nd hourly fhr bumping
	R/S / N/AIS P/A	- SBR NBS } upm
	U / passed S / passed	OAE } today
		- Monitor vitals
		Dr. Dilnaaz Farooqui Consultant Pediatrician Reg. No: 27476
12/6	<u>CLINIC Dr. Naipya</u>	<u>Dilnaaz</u>
2:00 PM	Eutheic.	<u>Plan</u>
	C/T/A - Good Vitals - stable.	- DBF - 2nd hourly fhr bumping
	R/S / N/AIS P/A	- (T) SBR NBS
		- OAE in followup
		- Discharge after SBR report

@est



PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
13/6/26 7 AM	c/s/ky. <u>Dr. Anuabe</u>	
	Baby Euthic Pink	T. wt = 3.480 kg
		wt low = 80g ↓
		7.9%
	C/T/A Good	<u>Plan</u>
	<u>s/e</u>	- Resp SBR/TCB on flc.
	(R/L) A/E AE (+) NIVBS (+)	- DBF Qch flc buy
		- Dspt till clls
	A	- Worms sus
		- check wt


PROGRESS NOTES AND DOCTOR'S ORDER

Date & Time	Progress Notes	Doctor's Order
13/6/16 9am	<u>sg B Pn Pulnaae</u>	
	Baby 2 DSPT	
TWT 3.4804	accepts feed paw x/s	DBF + RR
7.9-1.4 low	o/s vitals stable	<u>Also</u>
MBG / OT BBG / OT.	PA soft	1) DBR out to good lungs
		2) CT. DSPT till discharge
		3) T. bact LA TI TI
		4) D/S 4 Review Tomorrow bet 4-6 pm
		5) Lactation consultation
		<u>Disch 093</u>

HNH-00015915 IP26-00006555
 Baby Of SRIPRIYA KAMARAJUGADDA
 10-08-2026 0 Y 0 M 0 D 1 H (F)
 Dr. DILNAZ FAROOQUI



307



Rainbow[®]
 Children's
 Hospital
 It takes a lot to treat the little.

BirthRight™
 BY RAINBOW HOSPITALS
 Your Right to a Safe Delivery

RESULT SHEET

Date					
Time					
Hb					
PCV					
RBC					
WBC					
N/L					
Platelets					
CRP					
ESR					
PCT					
RBS					
Na					
K					
Cl					
Ca/Mg					
Phosphate					
Urea					
Creatinine					
ALP					
SGPT					
SGOT					
T.Bill/Conj					
T.Protein					
S.Albumin					
S.Globulin					
A/G Ratio					
Uric Acid					
S.Amylase					
Sr.Lipase					
Blood Lactate					
S.Cholesterol					
PT/INR					
APTT					
CSF Protein / Sugar					
Cells					
N/L					

HNH-00015915 IP26-00006555
 Baby Of SRIPRIYA KAMARAJUGADDA
 10-08-2026 0Y0M0D5H (F)
 Dr. DILNAAZ FAROOQUI

CLINICAL / 124

INFANT (<1 year)
Children's Observation & Early Warning Scoring Chart



Rainbow®
 Children's
 Hospital
 It takes a lot to treat the little.

BirthRight
 BY RAINBOW HOSPITALS
 Your Right to a Safe Delivery


EARLY WARNING SCORE: CHILDREN'S UNIT

Date: 11/6/26 Time: 10am 2pm 6pm 10pm 2am 6am

Doctor/Nurse/Family Concern?



Heart Rate (Number) 142b/m 140b/m 140b/m 140b 134b 134b



Resp Rate (Number) 38b/m 40b/m 42b/m 40b 40b 40b

Resp Distress: Mod/ Severe None / Mild

Receiving O₂ (l/min) O₂ Saturations (%) 0% 99% 99% 99% 99% 99%

Conscious Level: Normal Altered

GCS * 15/15 15/15

TOTAL SCORE

Number of shaded boxes: 0 0 0 0 0 0

Pain Score: 0 0 0 0 0 0

Observer's Initials: A A A A A A

ACTIONS

Score 1 : Continue normal observation by staff nurse

Score 2 : Shift in charge nurse to be informed and continue hourly observations

Score 3 : Shift in charge AND ER doctor/Floor Registrar to see and half hourly to hourly Observation to continue.

Score 4 : Shift in charge AND treating consultant(till 8 PM) or On call night duty consultant to see

Score 5 & 6 : Shift incharge and PICU /NICU fellow or PICU/NICU consultant to be informed

* NB: If GCS is below 12 or the Oxygen requirement is >3 Lit./min. , then irrespective of rest of the score, the Nurse MUST inform the PICU team.

CHILDREN'S OBSERVATION and EARLY WARNING SCORING TOOL

INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child's routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when EARLY WARNING SCORE > 3			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child's clinical condition to a colleague.

I	IDENTITY: I am (name), a nurse on ward (X). I am calling about (child X)
S	SITUATION: I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
B	BACK GROUND: Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
A	ASSESSMENT: I think the problem is (XXX) and I have ... (e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
R	RECOMMENDATION: I need you to ... come to see the child in the next (XX mins) AND I s there anything I need to do in the meantime ? (e.g. stop the fluid/ repeat observation)

Patient Sticker




L/124



EARLY WARNING SCORE: CHILDREN'S UNIT

Date: 12/6 Time: 10pm 2pm 1pm 2am 6am

Doctor/Nurse/Family Concern?



Heart Rate (Number) 148bpm 148bpm 148bpm 148bpm 148bpm

Resp Rate (Number) 40bpm 40bpm 40bpm 40bpm 40bpm

Resp Mod/ Severe Distress None / Mild

Receiving O₂ (l/min) 100% 100% 100% 100% 100%

O₂ Saturations (%) 100% 100% 100% 100% 100%

Conscious Level Normal / Altered

GCS * 15/15 15/15

TOTAL SCORE

Number of shaded boxes 0 0 0 0 0

Pain Score 0 0 0 0 0

Observer's Initials [Signature] [Signature] [Signature] [Signature] [Signature]

ACTIONS

Score 1 : Continue normal observation by staff nurse

Score 2 : Shift in charge nurse to be informed and continue hourly observations

Score 3 : Shift in charge AND ER doctor/Floor Registrar to see and half hourly to hourly Observation to continue.

Score 4 : Shift in charge AND treating consultant(till 8 PM) or On call night duty consultant to see

Score 5 & 6 : Shift incharge and PICU /NICU fellow or PICU/NICU consultant to be informed

NB: Scores 3 should be recorded overleaf

* NB: If GCS is below 12 or the Oxygen requirement is >3 Lit./min. , then irrespective of rest of the score, the Nurse MUST inform the PICU team.

CHILDREN'S OBSERVATION and EARLY WARNING SCORING TOOL

INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child's routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when EARLY WARNING SCORE > 3			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child's clinical condition to a colleague.

I	IDENTITY: I am (name), a nurse on ward (X). I am calling about (child X)
S	SITUATION : I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
B	BACK GROUND : Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
A	ASSESSMENT : I think the problem is (XXX) and I have ... (e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
R	RECOMMENDATION : I need you to ... come to see the child in the next (XX mins) AND I s there anything I need to do in the meantime ? (e.g. stop the fluid/ repeat observation)

CHILDREN'S OBSERVATION and EARLY WARNING SCORING TOOL

INSTRUCTIONS:

- The paediatric Early Warning Score i) seeks to identify the abnormal physiological finding seen during serious childhood illnesses and ii) offers a method to interpret such physiological derangements with clearly defined actions, ensuring that suitably experienced staff are involved with the care of the sickest children.
- The Early Warning Score does not replace clinical experience and acumen and should not be relied upon for such purpose.
- 6 clinical parameters are assessed and recorded as part of the child's routine clinical observation, providing a Early Warning Score between 0-6 (Higher Early Warning Score are seen in sicker children)
- Detailed actions are described according to increasing Early Warning Score.
- Some children with complex medical needs e.g. cyanotic heart disease may require modification to their trigger thresholds/ action plan- this should follow discussion with senior colleagues.
- Any Early Warning Score of 3 or above should be recorded below with details of any subsequent action initiated

Record Details when EARLY WARNING SCORE > 3			Record Time of Review and Plan		
Date	Time	Early Warning Score	Date	Time	Name

- If at any time additional help is required, call help – regardless of the Early Warning Score!
- Following a Early Warning Score assessment, senior help may be required

The SBAR communication tool (situation, background, assessment, recommendations) is a helpful mnemonic that can be used to describe a child's clinical condition to a colleague.

I	IDENTITY: I am (name), a nurse on ward (X). I am calling about (child X)
S	SITUATION: I am calling because I am concerned that ... (e.g. BP is low/high, pulse is XXX, Temperature is XX, Early Warning Score is XX)
B	BACK GROUND: Child (X) was admitted on (XX date) with (e.g. respiratory infection). They have had (X operation/ procedure/ investigation). Child (X)'s condition has changed in the last (XX mins). Their last set of observations were (XXX). The child's normal condition is ... (e.g. alert/ drowsy/ confused, pain free)
A	ASSESSMENT: I think the problem is (XXX) and I have ... (e.g. given O2/ analgesia, stopped the infusion), OR I am not sure what the problem is but child (X) is deteriorating, OR I don't know what's wrong but I am really worried.
R	RECOMMENDATION: I need you to ... come to see the child in the next (XX mins) AND is there anything I need to do in the meantime? (e.g. stop the fluid/ repeat observation)



FLUID CHART

Sheet No. :

- All measurements in ml.
- Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

Date	Time	Nature of Fluid	Intake			Output					IV Site Thrombophlebitis Score	Sign. Nurse	
			Mouth	I.V	N.G	NG	Diarrhoea	Vomit	Drainage	Urine			
	08:00 am												
	09:00 am												
	10:00 am												
	11:00 am												
	12:00 pm												
	01:00 pm												
Total Intake :						Total Output :							
	02:00 pm												
	03:00 pm												
	04:00 pm	DBF											
	05:00 pm												
	06:00 pm	DBP											
	07:00 pm												
Total Intake : Taken						Total Output :							
	08:00 pm												
	09:00 pm	DBF											
	10:00 pm												
	11:00 pm	DBL											
	12:00 am												
	01:00 am	DBL											
Total Intake :						Total Output : Passed							
	02:00 am												
	03:00 am	DBL											
	04:00 am												
	05:00 am	DBL											
	06:00 am												
	07:00 am	DBL											
Total Intake :						Total Output :							

Total 24 hrs. Intake

Total 24 hrs. Output

HNH-00015915 IP26-00006555
 Baby Of SRIPRIYA KAMARAJUGADDA
 10-06-2026 0 Y 0 M 0 D 1 H (F)
 Dr. DILNAAZ FAROOQUI



FLUID CHART

Sheet No. :

- All measurements in ml.
- Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

Date	Time	Nature of Fluid	Intake			Output					IV Site Thrombo- phlebitis Score	Sign. Nurse	
			Mouth	I.V	N.G	NG	Diarrhoea	Vomit	Drainage	Urine			
11/6/26	08:00 am												
	09:00 am		DBF+FF				✓			✓			
	10:00 am	0											
	11:00 am		DBF+FF				✓	NA		✓			
	12:00 pm												
	01:00 pm		DBF+FF				✓			✓			
Total Intake :						Total Output : U- M-							
11/6/28	02:00 pm												
	03:00 pm		DBF+FF				✓			✓			
	04:00 pm	0											
	05:00 pm		DBF+FF				✓	NA		✓			
	06:00 pm												
	07:00 pm		DBF+FF							✓			
Total Intake :						Total Output : U- M-							
11/6/26	08:00 pm												
	09:00 pm		DBF+FF										
	10:00 pm	0					✓						
	11:00 pm		DBF+FF										
	12:00 am												
	01:00 am												
Total Intake :						Total Output :							
12/6/26	02:00 am		DBF+FF				✓			✓			
	03:00 am		FF										
	04:00 am	0											
	05:00 am		DBF										
	06:00 am		FF										
	07:00 am												
Total Intake :						Total Output :							

Total 24 hrs. Intake

Total 24 hrs. Output

HNH-00015915 IP26-00006555
 Baby Of SRIPRIYA KAMARAJUGADDA
 10-08-2026 0 Y 0 M 0 D 5 H (F)
 Dr. DILNAAZ FAROOQUI



FLUID CHART

Sheet No. :

- All measurements in ml.
- Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

Date	Time	Nature of Fluid	Intake			Output					IV Site Thrombophlebitis Score	Sign. Nurse	
			Mouth	I.V	N.G	NG	Diarrhoea	Vomit	Drainage	Urine			
12/10/26	08:00 am	↓	DBR+FF										
	09:00 am	↓	DBR+FF										
	10:00 am	↓	DBR+FF										
	11:00 am	↓	DBR+FF										
	12:00 pm	↓	DBR+FF										
	01:00 pm	↓	DBR+FF										
Total Intake : 300ml						Total Output : U-2 M-3							
12/10	02:00 pm												
	03:00 pm												
	04:00 pm												
	05:00 pm												
	06:00 pm												
	07:00 pm												
Total Intake :						Total Output :							
12/10	08:00 pm	↓	DBL										
	09:00 pm	↓	DBL										
	10:00 pm	↓	DBL										
	11:00 pm	↓	DBL										
	12:00 am	↓	DBL										
	01:00 am	↓	DBL										
Total Intake :						Total Output :							
13/10	02:00 am	↓	DBL										
	03:00 am	↓	DBL										
	04:00 am	↓	DBL										
	05:00 am	↓	DBL										
	06:00 am	↓	DBL										
	07:00 am	↓	DBL										
Total Intake :						Total Output :							

Total 24 hrs. Intake

Total 24 hrs. Output

Patient Sticker



FLUID CHART

Sheet No. :

1. All measurements in ml.
2. Add up each column separately. Make additions across the page to obtain 24 hrs. total of intake and output.

		Intake				Output					IV Site Thrombo-phlebitis Score	Sign. Nurse	
Date	Time	Nature of Fluid	Route			NG	Diarrhoea	Vomit	Drainage	Urine			
			Mouth	I.V	N.G								
	08:00 am												
	09:00 am												
	10:00 am												
	11:00 am												
	12:00 pm												
	01:00 pm												
Total Intake :						Total Output :							
	02:00 pm												
	03:00 pm												
	04:00 pm												
	05:00 pm												
	06:00 pm												
	07:00 pm												
Total Intake :						Total Output :							
	08:00 pm												
	09:00 pm												
	10:00 pm												
	11:00 pm												
	12:00 am												
	01:00 am												
Total Intake :						Total Output :							
	02:00 am												
	03:00 am												
	04:00 am												
	05:00 am												
	06:00 am												
	07:00 am												
Total Intake :						Total Output :							
Total 24 hrs. Intake													
Total 24 hrs. Output													

HNH-00015915 IP26-00006555
 Baby Of SRIPRIYA KAMARAJUGADDA
 10-06-2026 0Y0M0D1H (F)
 Dr. DILNAAZ FAROOQUI



NURSING CARE RECORD



Date: 10/06/2026

- Goals**
- Maintain Airway and Oxygenation
 - Relieve Pain & Discomfort
 - Maintain Fluid Balance
 - Improve Activity Tolerance
 - Maintain Good Nutritional Status
 - Maintain Skin Integrity
 - Maintain Personal Hygiene
 - Prevent Infection
 - Meet Elimination Needs
 - Ensure Safety
 - Early Ambulation Reduce Anxiety
 - Patient & Family Education
 - Identify Potential Complications
 - Any Others. Specify.....

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning				NA			
Afternoon	2pm	<ul style="list-style-type: none"> → Assesses the pt condition → Check the vital's → Do chart Maucha → plan for DBR 		<ul style="list-style-type: none"> → Assessed baby condition → checked vitals & hr → Manual Echo → 2nd hourly DBR 	vital's is Normal	patient is Stable	Aurora A
Night	8pm	<ul style="list-style-type: none"> Assess the Baby Condition monitor vitals & do chart DBR 2nd hourly give 		<ul style="list-style-type: none"> Assess the Baby Condition monitored vitals & do chart DBR 2nd hourly give 	Baby is stable	Rechecked vitals	js

HNH-00015915 IP26-00006555
 Baby Of SRIPRIYA KAMARAJUGADDA
 10-06-2026 0Y0M0D1H (F)
 Dr. DILNAAZ FAROOQUI



NURSING CARE RECORD



Date: 11/6/26

- Goals**
- Maintain Airway and Oxygenation
 - Relieve Pain & Discomfort
 - Maintain Fluid Balance
 - Improve Activity Tolerance
 - Maintain Good Nutritional Status
 - Maintain Skin Integrity
 - Maintain Personal Hygiene
 - Prevent Infection
 - Meet Elimination Needs
 - Ensure Safety
 - Early Ambulation Reduce Anxiety
 - Patient & Family Education
 - Identify Potential Complications
 - Any Others. Specify.....

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning	8am to 2pm	<ul style="list-style-type: none"> → Assess Baby condition → monitor the vitals → Maintain I/O chart → DBF + FF every 2nd hourly 	8am to 2pm	<ul style="list-style-type: none"> → Assessed Baby condition → monitored the vitals → Maintained I/O chart → DBF + FF every 2nd hourly → FF 	<ul style="list-style-type: none"> → Baby is stable → GRBS monitoring 	<ul style="list-style-type: none"> → re-checked the vitals → I/O → Vaccination done 	Supriya
Afternoon	2pm to 8pm	<ul style="list-style-type: none"> → Assess the pt condition → Monitor the v/s → Maintain the I/O → DBF + FF 2nd hourly 	2pm to 8pm	<ul style="list-style-type: none"> → Assess the pt condition → Monitor the v/s → Maintain the I/O → DBF + FF 2nd hourly 	<ul style="list-style-type: none"> → Baby is stable → GRBS monitoring 	<ul style="list-style-type: none"> → Rechecked the v/s & I/O 	
Night	8pm to 8am	<ul style="list-style-type: none"> → Assess the Baby condition → monitor vitals & I/O chart → DBF + FF 2nd hourly give 		<ul style="list-style-type: none"> → Assessed the Baby condition → monitored vitals & I/O chart → DBF + FF 2nd hourly given 	<ul style="list-style-type: none"> → Baby is stable 	<ul style="list-style-type: none"> → Rechecked vitals 	

HNH-00015915 IP26-00006555
 Baby Of SRIPRIYA KAMARAJUGADDA
 10-08-2026 0 Y 0 M 0 D 5 H (F)
 Dr. DILNAAZ FAROOQUI



NURSING CARE RECORD

Date: 12/6/26

Goals

- Maintain Airway and Oxygenation
- Maintain Personal Hygiene
- Identify Potential Complications
- Relieve Pain & Discomfort
- Prevent Infection
- Any Others. Specify.....
- Maintain Fluid Balance
- Meet Elimination Needs
- Improve Activity Tolerance
- Ensure Safety
- Maintain Good Nutritional Status
- Early Ambulation Reduce Anxiety
- Maintain Skin Integrity
- Patient & Family Education

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning	8am to 2pm	⇒ Assess the baby's condition ⇒ monitor vitals & record ⇒ maintain 2to chart ⇒ DBF + ff 2nd hly	8am to 2pm	⇒ Assessed the baby's condition ⇒ monitored vitals & recorded ⇒ maintained 2 to chart ⇒ DBF + ff 2nd hly	⇒ Baby is stable	⇒ Rechecked vitals	
Afternoon							
Night							

Patient Sticker

NURSING CARE RECORD



Date:

Goals

- Maintain Airway and Oxygenation
- Maintain Personal Hygiene
- Identify Potential Complications
- Relieve Pain & Discomfort
- Prevent Infection
- Any Others. Specify.....
- Maintain Fluid Balance
- Meet Elimination Needs
- Improve Activity Tolerance
- Ensure Safety
- Maintain Good Nutritional Status
- Early Ambulation Reduce Anxiety
- Maintain Skin Integrity
- Patient & Family Education

	Time	Plan of Care	Time	Implementation	Evaluation	Re-Assessment	Nurse Name & Signature
Morning							
Afternoon							
Night							

NPASS: Neonatal Pain, Agitation & Sedation Scale

	Sedation	Pain / Agitation
How to use	<ul style="list-style-type: none"> Observe the infant for a minute before selecting a score for each behavior. Stimulate the infant and observe and select a score for each behavior. Select only one numeric value (Highest) per behavior. 	<ul style="list-style-type: none"> Observe the infant for a minute before selecting a score for each behavior. Select only one numeric value per behavior.
Scoring/ Documentation	<ul style="list-style-type: none"> Sedation scores are negative scores only Add the scores from the 5 individual behavior areas to generate a total NPASS Sedation score. (Do not add points for correcting gestational age) NPASS Sedation total score has a range from 0 to -10 possible. Document total NPASS Sedation score in the medical record. 	<ul style="list-style-type: none"> Pain/Agitation scores are positive scores only Determine if scoring needs to be adjusted based on the patient's gestational age. See Premature Pain Assessment criteria. Add the scores from the 5 individual behavior areas and for corrected gestational age (if indicated) to generate a total NPASS Pain/Agitation score. NPASS Pain/Agitation total score has a range from 0 to 13 possible. Document the total NPASS Pain/Agitation score in the medical record
Interpretation	<ul style="list-style-type: none"> Desired levels of sedation vary according to the situation. Discuss and determine sedation goal with provider. <ul style="list-style-type: none"> "Deep sedation": goal score of -10 to -5 <ul style="list-style-type: none"> Deep sedation is not recommended unless an infant is receiving ventilator support, related to the high potential for hypoventilation and apnea "Light sedation": goal score of -5 to -2 Reassess patient per frequency in local sedation policy <ul style="list-style-type: none"> A negative score without the administration of opioids/ sedatives may indicate: <ul style="list-style-type: none"> The premature infant's response to prolonged or persistent pain/stress Neurologic depression, sepsis, or other pathology 	<ul style="list-style-type: none"> Does not provide pain intensity rating. Any score greater than 3 indicates the possibility of the presence of pain in the infant <ul style="list-style-type: none"> Continue evaluation to determine individualized patient interventions (non-pharmacological and pharmacological). Reassess patient per frequency of local pain policy. If upon reassessment, the NPASS pain/agitation total score remains consistent or higher, consider pharmacologic intervention.

HNH-00015915 IP26-00006555
 Baby Of SRIPRIYA KAMARAJUGADDA
 10-06-2026 0 Y 0 M 0 D 1 H (F)
 Dr. DILNAAZ FAROOQUI



BRADEN 'Q' SCALE



Date: 10/06/2026 10/6/26 11/6 11/6
 Time: 12:00 12:00 12:00 12:00

Mobility	1. Completely immobile: Does not make even slight changes in body or extremity position without assistance.	2. Very limited: Makes occasional slight changes in body or extremity position but unable to completely turn self independently.	3. Slightly limited: Makes frequent through slight changes in body or extremity position independently.	4. No limitations: Makes major and frequent changes in position without assistance.	3	3	3	4
"Activity The degree of physical activity"	1. Bedfast: Confined to bed	2. Chairfast: Ability to walk severely limited or non-existent. Cannot bear own weight and/or must be assisted into chair or wheelchair."	3. Walks occasionally: Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair.	4. All patients too young to ambulate; OR walks frequently: Walks outside the room at least twice a day and inside room at least once every 2 hours during walking hours.	3	1	1	4
Sensory Perception	1. Completely limited: Unresponsive (does not moan, flinch or grasp) to painful stimuli due to diminished level of consciousness or sedation, OR, limited ability to feel pain over most of the body surface.	2. Very limited: responds to only painful stimuli, cannot communicate discomfort except by moaning or restlessness; OR, has sensory impairment that limits the ability to feel pain or discomfort over half of body.	3. Slightly limited: Responds to verbal commands, but cannot always communicate discomfort or need to be turned; OR, has some sensory impairment that limits ability to feel pain, or discomfort in one or two extremities.	4. No impairment: Responds to verbal commands. Has no sensory deficit that would limit ability to feel or communicate pain or discomfort.	4	4	4	4
Moisture Degree to which skin is exposed to moisture	1. Constantly moist: Skin is kept moist almost constantly by perspiration, urine, drainage, etc. Dampness is detected every time patient is moved or turned.	2. Very moist: Skin is often, but not always, moist. Linen must be changed at least every 8 hours.	3. Occasionally moist: Skin is occasionally moist, requiring linen change every 12 hours.	4. Rarely moist: Skin is usually dry, routine diaper changes; linen only requires changing every 24 hours.	4	4	4	4
FRICION-SHEAR Friction Occurs when Skin moves against support surfaces Shear Occurs when skin and adjacent bony surface slide across one another	1. Significant problem: Spasticity, contracture, itching, or agitation leads to almost constant thrashing and friction.	2. Problem: Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent repositioning with maximum assistance.	3. Potential problem: Moves freely or requires minimum assistance. During a move, skin probably slides to some extent against sheets, chair, restraints, or other devices. Maintains relative good position in chair or bed most of the time but occasionally slides down.	4. No apparent problem: Able to completely lift patient during position change, moves in bed and in chair independently and has sufficient muscle strength to life up completely during move. Maintains good position in bed or chair at all times."	3	3	3	4
Nutritional Usual food intake pattern	1. Very Poor: NPO/or maintained on clear liquids, or IVs for more than 5 days OR albumin < 2.5 mg/dl OR never eats a complete meal. Rarely eats more than half of any food offered. Protein intake includes only 2 servings or meat or dairy products per day. Takes fluids poorly. Does not take a liquid dietary supplement.	2. Inadequate: Is on liquid diet or tube feedings/TPN, which provides inadequate calories and minerals for age OR albumin < 3 mg/dl OR rarely eats a complete meal and generally eats only about half of any food offered. Protein intake includes only 3 servings of meat or dairy products per day. Occasionally will take a dietary supplement.	3. Adequate: Is on tube feedings or TPN, which provide adequate calories and minerals for age OR eats over half of most meals. Eats a total of 4 servings of protein (meat, dairy products) each day. Occasionally will refuse a meal, but will usually take a supplement if offered.	4. Excellent: Is on a normal diet providing adequate calories for age. For example, eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of meat and dairy products. Occasionally eats between meals. Does not require supplementation.	4	4	4	4
Tissue Perfusion & Oxygenation	1. Extremely compromised: Hypotensive (MAP < 50 mm Hg; < 40 in a newborn) or the patient does not physiologically tolerate position changes.	2. Compromised: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be > 2 seconds; serum pH is < 7.40.	3. Adequate: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be 2 seconds; serum pH is normal.	4. Excellent: Normotensive, oxygen saturation > 95%; normal hgb; capillary refill < 2 seconds.	2	2	2	4

TOTAL SCORE 23 21 21 28
Evaluator's Name [Signatures]

Severe Risk : less than 9 | High Risk : 10-12 | Moderate Risk : 13-14 | Mild Risk : 15-18 | Not at Risk: 19-23

Risk Score	Category	Action	Support Surfaces (Please Note: Only required for children who are deemed at risk due to altered mobility, consider occupation therapy referral for advice)
15-18	At Risk	<ul style="list-style-type: none"> • Regular Turning Schedule • Enable as much activity as possible • Protect the heels • Use pressure redistribution surfaces • Manage moisture, friction and shear • Advance to a higher level of risk if other major risk factors are present 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
13-14	Moderate Risk	<ul style="list-style-type: none"> • Use the Same Protocol as for “At Risk” Patients • Position patient at 30 degree lateral incline using foam wedges 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
10-12	High Risk	<ul style="list-style-type: none"> • Follow the same protocol as for “Moderate Risk” Patients • In addition to regular turning schedule • Make small shifts in their position frequently 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
Less than 9	Severe Risk	<ul style="list-style-type: none"> • Use same protocol as for “High Risk” Patients • Add a pressure redistribution surface for patients with severe pain or with additional risk factors. 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay



BRADEN 'Q' SCALE

					Date :				
					Time :	12/6			
					11/6				
Mobility	1. Completely immobile: Does not make even slight changes in body or extremity position without assistance.	2. Very limited: Makes occasional slight changes in body or extremity position but unable to completely turn self independently.	3. Slightly limited: Makes frequent through slight changes in body or extremity position independently.	4. No limitations: Makes major and frequent changes in position without assistance.		3			
"Activity The degree of physical activity"	1. Bedfast : Confined to bed	2. Chairfast : Ability to walk severely limited or non-existent. Cannot bear own weight and/or must be assisted into chair or wheelchair."	3. Walks occasionally: Walks occasionally during day, but for very short distances, with or without assistance. Spends majority of each shift in bed or chair.	4. All patients too young to ambulate; OR walks frequently: Walks outside the room at least twice a day and inside room at least once every 2 hours during walking hours.		1			
Sensory Perception	1. Completely limited: Unresponsive (does not moan, flinch or grasp) to painful stimuli due to diminished level of consciousness or sedation, OR, limited ability to feel pain over most of the body surface.	2. Very limited: responds to only painful stimuli, cannot communicate discomfort except by moaning or restlessness; OR, has sensory impairment that limits the ability to feel pain or discomfort over half of body.	3. Slightly limited: Responds to verbal commands, but cannot always communicate discomfort or need to be turned; OR, has some sensory impairment that limits ability to feel pain, or discomfort in one or two extremities.	4. No impairment: Responds to verbal commands. Has no sensory deficit that would limit ability to feel or communicate pain or discomfort.		4			
Moisture Degree to which skin is exposed to moisture	1. Constantly moist: Skin is kept moist almost constantly by perspiration, urine, drainage, etc. Dampness is detected every time patient is moved or turned.	2. Very moist: Skin is often, but not always, moist. Linen must be changed at least every 8 hours.	3. Occasionally moist: Skin is occasionally moist, requiring linen change every 12 hours.	4. Rarely moist: Skin is usually dry, routine diaper changes; linen only requires changing every 24 hours.		4			
FRICTION-SHEAR Friction Occurs when Skin moves against support surfaces Shear Occurs when skin and adjacent bony surface slide across one another	1. Significant problem: Spasticity, contracture, itching, or agitation leads to almost constant thrashing and friction.	2. Problem: Requires moderate to maximum assistance in moving. Complete lifting without sliding against sheets is impossible. Frequently slides down in bed or chair, requiring frequent repositioning with maximum assistance.	3. Potential problem: Moves freely or requires minimum assistance. During a move, skin probably slides to some extent against sheets, chair, restraints, or other devices. Maintains relative good position in chair or bed most of the time but occasionally slides down.	4. No apparent problem: Able to completely lift patient during position change, moves in bed and in chair independently and has sufficient muscle strength to life up completely during move. Maintains good position in bed or chair at all times."		3			
Nutritional Usual food intake pattern	1. Very Poor: NPO/or maintained on clear liquids, or IVs for more than 5 days OR albumin < 2.5 mg/dl OR never eats a complete meal. Rarely eats more than half of any food offered. Protein intake includes only 2 servings or meat or dairy products per day. Takes fluids poorly. Does not take a liquid dietary supplement.	2. Inadequate: Is on liquid diet or tube feedings/TPN, which provides inadequate calories and minerals for age OR albumin < 3 mg/dl OR rarely eats a complete meal and generally eats only about half of any food offered. Protein intake includes only 3 servings of meat or dairy products per day. Occasionally will take a dietary supplement.	3. Adequate: Is on tube feedings or TPN, which provide adequate calories and minerals for age OR eats over half of most meals. Eats a total of 4 servings of protein (meat, dairy products) each day. Occasionally will refuse a meal, but will usually take a supplement if offered.	4. Excellent: Is on a normal diet providing adequate calories for age. For example, eats most of every meal. Never refuses a meal. Usually eats a total of 4 or more servings of mean and dairy products. Occasionally eats between meals. Does not require supplementation.		4			
Tissue Perfusion & Oxygenation	1. Extremely compromised: Hypotensive (MAP < 50 mm Hg; < 40 in a newborn) or the patient does not physiologically tolerate position changes.	2. Compromised: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be > 2 seconds; serum pH is < 7.40.	3. Adequate: Normotensive oxygen saturation may be < 95%; hemoglobin may be < 10 mg/dl; capillary refill may be 2 seconds; serum pH is normal.	4. Excellent: Normotensive, oxygen saturation > 95%; normal hgb; capillary refill < 2 seconds.		2			
					TOTAL SCORE	21			
					Evaluator's Name	(Signature)			

Severe Risk : less than 9 | High Risk : 10-12 | Moderate Risk : 13-14 | Mild Risk : 15-18 | Not at Risk: 19-23

Risk Score	Category	Action	Support Surfaces (Please Note: Only required for children who are deemed at risk due to altered mobility, consider occupation therapy referral for advice)
15-18	At Risk	<ul style="list-style-type: none"> • Regular Turning Schedule • Enable as much activity as possible • Protect the heels • Use pressure redistribution surfaces • Manage moisture, friction and shear • Advance to a higher level of risk if other major risk factors are present 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
13-14	Moderate Risk	<ul style="list-style-type: none"> • Use the Same Protocol as for “At Risk” Patients • Position patient at 30 degree lateral incline using foam wedges 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
10-12	High Risk	<ul style="list-style-type: none"> • Follow the same protocol as for “Moderate Risk” Patients • In addition to regular turning schedule • Make small shifts in their position frequently 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay
Less than 9	Severe Risk	<ul style="list-style-type: none"> • Use same protocol as for “High Risk” Patients • Add a pressure redistribution surface for patients with severe pain or with additional risk factors. 	High density foam mattress Gel pads for high-risk areas Alternating pressure mattress overlay

HNH-00015915 IP26-0006555
Baby Of SRIPRIYA KAMARAJUGADDA
10-06-2026 0 Y 0 M 0 D 1 H (F)
Dr. DILNAAZ FAROOQUI



NURSING DEPARTMENT NEWBORN - NURSING ASSESSMENT FORM

(Select and 'tick mark' [✓] the boxes as applicable)

Baby's Name: Sripriya Mother's Name:

Date of Birth: 10/06/2026 Time of Birth: 3:55 PM Gender: Male Female

Birth Weight: 3.780 Kgs HC: cm Length: cm

Meconium in Liquor: Yes No Cried at Birth: Yes No

Term / Pre-term / Post-term:

Resuscitated: Yes No Blood Group: Mother: Baby:

Feeding: Breast Feeding Formula Both First Feed Time:

AFFIX MOTHER'S IDENTIFICATION LABEL

Mode of Delivery: Normal LSCS - Emergency/ Elective Instrumental AVD

Indication:

Physical Assessment of New Born:

Temp: 36.5 °C HR: 141 /Min RR: 36 /Min BP: SpO₂: 98%

Pain Score: (Follow N Pass)

Fall Risk Assessment: Yes No Score: 0 (Fill the Humpty Dumpty Sheet)

Risk in Pressure Sore: Yes No (Braden Q Score) (Fill the Braden Q Sheet)

Behaviour Status on admission: Sleeping Crying Calm Drowsy

Findings:

General Appearance: Posture: Well-Flexed Asymmetry

Skin: Pink Meconium Stain Others, Specify:

Nursing Management: (Please strike through If not applicable e.g. Yes / ~~No~~)

Vitamin K 1 mg I.M Administered: Yes / No

Routine Care Provided: Yes / No

Capillary Blood Glucose Monitoring Done: Yes / No

Neonatal Screening Done: Yes / No

1. Nutritional Screening: Feeding Problem Yes / No

2. Functional Screening: Musculoskeletal Congenital Abnormality Yes / No

3. Socio History: Siblings Yes / No

All information obtained from Mother Father Other Family Member

Newborn Screening Discussed: Yes / No

Nurse Name: Amyla K

Signature: [Signature]

Date & Time: 10/06/2026